

**Canon**

CANON SOLUTIONS AMERICA

 CANON SEE IMPOSSIBLE



# TOOLS CHANGE, ARTISANS REMAIN

Océ Arizona Series UV Flatbed Printers Overview



SMART CHANGE STARTS HERE.



A CANON COMPANY

# OCÉ ARIZONA SERIES UV FLATBED PRINTERS

- Best-selling UV flatbed printer family in the world
- Océ VariaDot® imaging technology for near-photographic image quality
- True flatbed architecture with Roll Media Option
- Print on irregularly shaped objects, non-square media, or heavy substrates
- White ink and varnish available on select models
- Unparalleled opportunity to innovate your business

## HIGHER VOLUME

### OCÉ ARIZONA 6100 SERIES SPEEDS UP TO 1,668 FT.<sup>2</sup>/HR.

Océ Arizona® 6160 XTS/HFV printers

Océ Arizona 6170 XTS/HFV printers

## MID-VOLUME

### OCÉ ARIZONA 2200 SERIES SPEEDS UP TO 691 FT.<sup>2</sup>/HR.

Océ Arizona 2260 XT/GT printers

Océ Arizona 2280 XT/GT printers

### OCÉ ARIZONA 1300 SERIES SPEEDS UP TO 568.3 FT.<sup>2</sup>/HR.

Océ Arizona 1340 XT/GT printers

Océ Arizona 1360 XT/GT printers

Océ Arizona 1380 XT/GT printers

### OCÉ ARIZONA 1200 SERIES SPEEDS UP TO 377 FT.<sup>2</sup>/HR.

Océ Arizona 1240 XT/GT printers

Océ Arizona 1260 XT/GT printers

Océ Arizona 1280 XT/GT printers

### OCÉ ARIZONA 365 GT PRINTER SPEEDS UP TO 377 FT.<sup>2</sup>/HR.

Océ Arizona 365 GT printer




## LOWER VOLUME

### OCÉ ARIZONA 318 GL PRINTER SPEEDS UP TO 194 FT.<sup>2</sup>/HR.

Océ Arizona 318 GL printer




All print speeds based on express print speed.



| TABLE SIZE, PRODUCTION LEVEL                | EXTRA LARGE TABLE, HIGH-VOLUME PRODUCTION   | EXTRA LARGE TABLE, HIGH-VOLUME PRODUCTION  | STANDARD TABLE, HIGH-VOLUME PRODUCTION   |
|---|---|--|--|
|   |  |                            |                           |
| <b>AVAILABLE MODELS</b>                     | <b>OCÉ ARIZONA 6160 XTS PRINTER</b><br>– with 6 ink channels                      | <b>OCÉ ARIZONA 2260 XT PRINTER</b><br>– with 6 ink channels, upgradeable to...                               | <b>OCÉ ARIZONA 2260 GT PRINTER</b><br>– with 6 ink channels, upgradeable to...                               |
|   | <b>OCÉ ARIZONA 6170 XTS PRINTER</b><br>– with 7 ink channels                      | <b>OCÉ ARIZONA 2280 XT PRINTER</b><br>– with 8 ink channels  | <b>OCÉ ARIZONA 2280 GT PRINTER</b><br>– with 8 ink channels  |
|   | <b>OCÉ ARIZONA 6160 HFV PRINTER</b><br>– with 6 ink channels                      |  |  |
|   | <b>OCÉ ARIZONA 6170 HFV PRINTER</b><br>– with 7 ink channels                      |  |  |
| <b>Rigid media size</b>                     | 98.4" x 120" (98.4" x 126" HFV models)  | 98.4" x 121.3"   | 49" x 98.4"  |
| <b>Rigid media thickness</b>                | 2" (1" on HFV models)   | 2"   | 2"   |
| <b>Océ VariaDot printing technology</b>     | 6 to 42 picoliter droplets, 636 nozzles, 6 printheads/color, dual row design      | 6 to 42 picoliter droplets, 636 nozzles, 2 printheads/color, dual row design                                 | 6 to 42 picoliter droplets, 636 nozzles, 2 printheads/color, dual row design                                 |
| <b>White ink capability</b>                 | Standard on Océ Arizona 6170 printers   | Standard on Océ Arizona 2260 XT and Océ Arizona 2280 XT printers   | Standard on Océ Arizona 2260 GT and Océ Arizona 2280 GT printers   |
| <b>Varnish capability</b>                   | Not available   | Standard on Océ Arizona 2260 XT and Océ Arizona 2280 XT printers   | Standard on Océ Arizona 2260 GT and Océ Arizona 2280 GT printers   |
| <b>CM<sup>2</sup> capability</b>            | Not available   | Available option to add light cyan and light magenta on Océ Arizona 2260 XT and Océ Arizona 2280 XT printers | Available option to add light cyan and light magenta on Océ Arizona 2260 GT and Océ Arizona 2280 GT printers |
| <b>PRINT MEDIA AND SPEEDS*</b>              |   |  |  |
| <b>Express print speed</b>                  | 1,668 ft. <sup>2</sup> /hr.   | 691 ft. <sup>2</sup> /hr.  | 620 ft. <sup>2</sup> /hr.  |
| <b>Production— Squared (CM<sup>2</sup>)</b> | Not available   | 514 ft. <sup>2</sup> /hr.  | 473 ft. <sup>2</sup> /hr.  |
| <b>Production print speed</b>               | 1,076 ft. <sup>2</sup> /hr.   | 427 ft. <sup>2</sup> /hr., except CM <sup>2</sup> configurations   | 395 ft. <sup>2</sup> /hr., except CM <sup>2</sup> configurations   |
| <b>Quality— Squared (CM<sup>2</sup>)</b>    | Not available   | Not available  | Not available  |
| <b>Quality print speed</b>                  | 775 ft. <sup>2</sup> /hr.   | 297 ft. <sup>2</sup> /hr.  | 280 ft. <sup>2</sup> /hr.  |
| <b>Fine Art print speed</b>                 | Not available   | 235 ft. <sup>2</sup> /hr.  | 226 ft. <sup>2</sup> /hr.  |
| <b>High Definition print speed</b>          | Not available   | 131 ft. <sup>2</sup> /hr.  | 119 ft. <sup>2</sup> /hr.  |
| <b>UV curing technology</b>                 | 497 mm, high output/low heat UV arc lamp with integrated shutter/reflector        | 171 mm, high output/low heat UV arc lamp with integrated shutter/reflector                                   | 171 mm, high output/low heat UV arc lamp with integrated shutter/reflector                                   |
| <b>Roll Media Option (RMO)</b>              | Not available   | Available option, up to 86.6"  | Available option, up to 86.6"  |




\*Quoted print speeds are based on print time from first to last pixel printed utilizing maximum image area. Specifications subject to change without notice.



| TABLE SIZE, PRODUCTION LEVEL                 | EXTRA LARGE TABLE, MID-VOLUME PRODUCTION  | STANDARD TABLE, MID-VOLUME PRODUCTION  | EXTRA LARGE TABLE, MID-VOLUME PRODUCTION UPGRADE PATH  |
|--|---|--|--|
|  |  |  |                           |
| <b>AVAILABLE MODELS</b>                      | <b>OCÉ ARIZONA 1340 XT PRINTER</b><br>– with 4 ink channels                       | <b>OCÉ ARIZONA 1340 GT PRINTER</b><br>– with 4 ink channels                        | <b>OCÉ ARIZONA 1240 XT PRINTER</b><br>– with 4 ink channels, upgradeable to...                               |
|  | <b>OCÉ ARIZONA 1360 XT PRINTER</b><br>– with 6 ink channels                       | <b>OCÉ ARIZONA 1360 GT PRINTER</b><br>– with 6 ink channels                        | <b>OCÉ ARIZONA 1260 XT PRINTER</b><br>– with 6 ink channels, upgradeable to...                               |
|  | <b>OCÉ ARIZONA 1380 XT PRINTER</b><br>– with 8 ink channels                       | <b>OCÉ ARIZONA 1380 GT PRINTER</b><br>– with 8 ink channels                        | <b>OCÉ ARIZONA 1280 XT PRINTER</b><br>– with 8 ink channels  |
|  |   |  |  |
| <b>Rigid media size</b>                      | 98.4" x 121.3"  | 49.2" x 98.4"  | 98.4" x 121.3"   |
| <b>Rigid media thickness</b>                 | 2"  | 2"   | 2"   |
| <b>Océ VariaDot printing technology</b>      | Yes   | Yes  | 6 to 42 picoliter droplets, 636 nozzles, 1 printhead/channel, dual row design                                |
| <b>White ink capability</b>                  | Standard on Océ Arizona 1360 XT and Océ Arizona 1380 XT printers                  | Standard on Océ Arizona 1360 GT and Océ Arizona 1380 GT printers                   | Standard on Océ Arizona 1260 XT and Océ Arizona 1280 XT printers   |
| <b>Varnish capability</b>                    | Standard on Océ Arizona 1360 XT and Océ Arizona 1380 XT printers                  | Standard on Océ Arizona 1360 GT and Océ Arizona 1380 GT printers                   | Standard on Océ Arizona 1260 XT and Océ Arizona 1280 XT printers   |
| <b>CM<sup>2</sup> capability</b>             | Not available   | Not available  | Available option to add light cyan and light magenta on Océ Arizona 1260 XT and Océ Arizona 1280 XT printers |
| <b>PRINT MEDIA AND SPEEDS*</b>               |   |  |  |
| <b>Express print speed</b>                   | 380 ft. <sup>2</sup> /hr. (High key 568.3 ft. <sup>2</sup> /hr.)                  | 368.1 ft. <sup>2</sup> /hr. (High key 547.9 ft. <sup>2</sup> /hr.)                 | 377 ft. <sup>2</sup> /hr.  |
| <b>Production — Squared (CM<sup>2</sup>)</b> | Not available   | Not available  | 280 ft. <sup>2</sup> /hr., 1260 XT and 1280 XT only  |
| <b>Production print speed</b>                | 229.3 ft. <sup>2</sup> /hr.   | 223.9 ft. <sup>2</sup> /hr.  | 227 ft. <sup>2</sup> /hr., except CM <sup>2</sup> configurations   |
| <b>Quality — Squared (CM<sup>2</sup>)</b>    | Not available   | Not available  | Not available  |
| <b>Quality print speed</b>                   | 161.5 ft. <sup>2</sup> /hr.   | 157.2 ft. <sup>2</sup> /hr.  | 157 ft. <sup>2</sup> /hr.  |
| <b>Fine Art print speed</b>                  | 128.1 ft. <sup>2</sup> /hr.   | 125.9 ft. <sup>2</sup> /hr.  | 128 ft. <sup>2</sup> /hr.  |
| <b>High Definition print speed</b>           | 68.9 ft. <sup>2</sup> /hr.  | 66.7 ft. <sup>2</sup> /hr.   | 66 ft. <sup>2</sup> /hr.   |
| <b>UV curing technology</b>                  | LED   | LED  | 110 mm, high output/low heat UV arc lamp with integrated shutter/reflector                                   |
| <b>Roll Media Option (RMO)</b>               | Available option, up to 86.6"   | Available option, up to 86.6"  | Available option, up to 86.6"  |

\*Quoted print speeds are based on print time from first to last pixel printed utilizing maximum image area. Specifications subject to change without notice.



| TABLE SIZE, PRODUCTION LEVEL                 | STANDARD TABLE, MID-VOLUME PRODUCTION UPGRADE PATH   | STANDARD TABLE, MID-VOLUME PRODUCTION  | STANDARD TABLE, LOW-VOLUME PRODUCTION   |
|--|--|--|---|
|  |                             |  |  |
| <b>AVAILABLE MODELS</b>                      | <b>OCÉ ARIZONA 1240 GT PRINTER</b><br>– with 4 ink channels, upgradeable to...                               | <b>OCÉ ARIZONA 365 GT PRINTER</b>  | <b>OCÉ ARIZONA 318 GL PRINTER</b>   |
|  | <b>OCÉ ARIZONA 1260 GT PRINTER</b><br>– with 6 ink channels, upgradeable to...                               |  |   |
|  | <b>OCÉ ARIZONA 1280 GT PRINTER</b><br>– with 8 ink channels  |  |   |
| <b>Rigid media size</b>                      | 49" x 98.4"  | 49" x 98.4"  | 49" x 98.4"   |
| <b>Rigid media thickness</b>                 | 2"   | 1.89"  | 1.89"   |
| <b>Océ VariaDot printing technology</b>      | 6 to 42 picoliter droplets, 636 nozzles, 1 printhead/channel, dual row design                                | 6 to 42 picoliter droplets, 318 nozzles, 2 printheads/channel, single row design   | 6 to 42 picoliter droplets, 318 nozzles, 1 printhead/channel, single row design     |
| <b>White ink capability</b>                  | Standard on Océ Arizona 1260 GT and Océ Arizona 1280 GT printers   | Standard on Océ Arizona 365 GT printer   | Available option (factory only)   |
| <b>Varnish capability</b>                    | Standard on Océ Arizona 1260 GT and Océ Arizona 1280 GT printers   | Not available  | Not available   |
| <b>CM<sup>2</sup> capability</b>             | Available option to add light cyan and light magenta on Océ Arizona 1260 GT and Océ Arizona 1280 GT printers | Not available  | Not available   |
| <b>PRINT MEDIA AND SPEEDS*</b>               |  |  |   |
| <b>Express print speed</b>                   | 362 ft. <sup>2</sup> /hr.  | 377 ft. <sup>2</sup> /hr.  | 194 ft. <sup>2</sup> /hr.   |
| <b>Production — Squared (CM<sup>2</sup>)</b> | 270 ft. <sup>2</sup> /hr., 1260 GT and 1280 GT only  | Not available  | Not available   |
| <b>Production print speed</b>                | 220 ft. <sup>2</sup> /hr., except CM <sup>2</sup> configurations   | 239 ft. <sup>2</sup> /hr.  | 131 ft. <sup>2</sup> /hr.   |
| <b>Quality — Squared (CM<sup>2</sup>)</b>    | Not available  | Not available  | Not available   |
| <b>Quality print speed</b>                   | 153 ft. <sup>2</sup> /hr.  | 165 ft. <sup>2</sup> /hr.  | 90 ft. <sup>2</sup> /hr.  |
| <b>Fine Art print speed</b>                  | 125 ft. <sup>2</sup> /hr.  | 135 ft. <sup>2</sup> /hr.  | 68 ft. <sup>2</sup> /hr.  |
| <b>High Definition print speed</b>           | 64 ft. <sup>2</sup> /hr.   | 71 ft. <sup>2</sup> /hr.   | Not available   |
| <b>UV curing technology</b>                  | 110 mm, high output/low heat UV arc lamp with integrated shutter/reflector                                   | 110 mm, high output/low heat UV arc lamp with integrated shutter/reflector         | 110 mm, high output/low heat UV arc lamp with integrated shutter/reflector          |
| <b>Roll Media Option (RMO)</b>               | Available option, up to 86.6"  | Available option, up to 86.6"  | Available option, up to 86.6"   |

## Worldwide recognition for quality and innovation

The Océ Arizona® series of UV flatbed printers has been winning awards since the introduction of the original Océ Arizona 250 GT printer in September 2006. The awards validate the quality and innovation built into every Océ Arizona series printer, now the most popular UV flatbed printer family in history.



### DPI VISION AWARD

Océ Arizona 250 GT  
September 2006



### VISCOM INNOVATION

Océ Arizona 250 GT  
September 2007



### PRODUCT OF THE YEAR

Océ Arizona 250 GT  
September 2007



### DIGITAL OUTPUT TOP 50

Océ Arizona series  
November 2007



### GOLD MEDAL OF POZNAN

Océ Arizona 250 GT  
March 2008



### PRODUCT OF THE YEAR Honorable Mention

Océ Arizona 350 GT  
October 2008



### WORTH-A-LOOK!

Océ Arizona 350 GT  
October 2008



### DIGITAL OUTPUT TOP 50

Océ Arizona series  
November 2008



### PIXEL BEST MANUFACTURER

Océ Arizona series  
February 2009



### BERTL® 4.5 STAR OUTSTANDING

Océ Arizona 350 GT  
March 2009



### WIDE-FORMAT IMAGING TOP FLATBED

Océ Arizona 250 GT  
April 2009



### GOLD MEDAL OF POZNAN

Océ Arizona 350 GT  
April 2009



### PRINT21 HOT PICK

Océ Arizona 350 XT  
May 2009



### WORTH-A-LOOK!

Océ Arizona 350 XT  
October 2009



### PRODUCT OF THE YEAR

Océ Arizona 350 GT  
October 2009



### PRODUCT OF THE YEAR

Océ Arizona 350 XT  
October 2009



### DIGITAL OUTPUT TOP 50

Océ Arizona series  
November 2009



### BERTL'S BEST

Océ Arizona 350 XT  
January 2010



### PIXEL BEST INNOVATION TECHNOLOGY

Océ Arizona 550 GT  
February 2010



### WIDE-FORMAT IMAGING TOP UV PRINTER

Océ Arizona 350 GT  
April 2010



### WORTH-A-LOOK!

Océ Arizona 550 GT  
October 2010



### PRODUCT OF THE YEAR

Océ Arizona 550 GT  
October 2010



### PRODUCT OF THE YEAR UV Flatbed

Océ Arizona 550 XT  
October 2010



### PRODUCT OF THE YEAR UV Flatbed White Ink

Océ Arizona 550 XT  
October 2010



### DIGITAL OUTPUT TOP 50

Océ Arizona series  
November 2010



### PRODUCT OF THE YEAR

Océ Arizona 360 XT  
October 2011



### DIGITAL OUTPUT TOP 50

Océ Arizona series  
November 2011



### REMADAYS PRIZE FOR INNOVATION

Océ Arizona 360 GT  
February 2012



### LENSTAR LENTICULAR PRINT AWARD

Promotional Material  
Océ Arizona 350 GT  
May 2012



### DIGITAL OUTPUT TOP 50

Océ Arizona series  
October 2012



### PRODUCT OF THE YEAR

Océ Arizona 480 GT  
October 2012



### REMADAYS PRIZE FOR INNOVATION

Océ Arizona 480 GT  
February 2013



### PRINT21 HOT PICK

Océ Arizona 480 GT  
May 2013



### 2013 MUST SEE 'EMS

Océ Arizona 660 XT  
September 2013



### DIGITAL OUTPUT TOP 50

Océ Arizona series  
October 2013



### PRODUCT OF THE YEAR Flatbed Rigid Substrate UV

Océ Arizona 640 GT  
October 2013



### PRODUCT OF THE YEAR Flatbed Rigid Substrate UV

Océ Arizona 660 GT  
October 2013



### PRODUCT OF THE YEAR Flatbed Rigid Substrate White Ink UV

Océ Arizona 660 XT  
October 2013



### 2014 MUST SEE 'EMS

Océ Arizona 6100  
September 2014



### PRODUCT OF THE YEAR UV Flatbed Under \$200K

Océ Arizona 318 GL  
October 2014



### PRODUCT OF THE YEAR UV Flatbed White Ink Under \$200K

Océ Arizona 318 GL with White Ink Option  
October 2014



### PRODUCT OF THE YEAR UV Flatbed White Ink Over \$200K

Océ Arizona 6170 XTS  
October 2014



### DIGITAL OUTPUT TOP 50

Océ Arizona series  
November 2014



### EDP BEST WIDE FORMAT HYBRID/ FLATBED UV PRINTER

Océ Arizona 6100 series  
May 2015



### PRODUCT OF THE YEAR UV Flatbed + White (\$100K - \$200K)

Océ Arizona 1280 GT  
September 2016



### PRODUCT OF THE YEAR UV Flatbed + White (\$200K - \$500K)

Océ Arizona 2280 XT  
September 2016



### TOP PRODUCT Wide-format Flatbed Inkjet Printers (24"+)

Océ Arizona 1280 XT UV  
September 2016



### TOP PRODUCT Wide-format & Signage

Océ Arizona 2280 GT  
April 2017



### PRODUCT OF THE YEAR UV Flatbed Under \$100K

Océ Arizona 365 GT  
August 2017



### PRODUCT OF THE YEAR UV Flatbed (\$200K - \$500K)

Océ Arizona 6160 XTS with High Flow Vacuum  
August 2017



### PRODUCT OF THE YEAR UV Flatbed + White (\$200K - \$500K)

Océ Arizona 6170 XTS with High Flow Vacuum  
August 2017



### DIGITAL OUTPUT TOP 50

Océ Arizona series  
November 2018

## Partner Certifications



# WHY CANON SOLUTIONS AMERICA.

Canon Solutions America recommends forward-thinking strategies to achieve the highest levels of information management efficiency for your unique business needs. Using superior technology and innovative services, we then design, implement, and track solutions that improve information flow throughout your organization in environmentally conscious ways, helping to result in greater productivity and reduced costs.

## There are many reasons why you should choose Canon Solutions America as your provider for document management solutions. Benefits include:

- A Canon U.S.A. Company
- Business Services
- Professional Services
- Global Capabilities
- Certified Training and Support
- Flexible Finance Options
- Single-Source Solutions Provider
- Managed Document Services
- Nationwide Coverage
- Customized Industry Solutions
- Genuine Canon and Océ Parts and Supplies
- Diverse Range of Input-to-Output Technology

But that's not all. As a company that is dedicated to your needs, we support our solutions with highly skilled professionals and advanced diagnostic systems to maintain peak performance. And with ongoing consultation, we can further your document management capabilities to ensure the highest level of satisfaction and productivity.



CANON SOLUTIONS AMERICA

### Large Format Solutions

100 Park Blvd., Itasca, IL 60143

1-800-842-4534 | 1-630-250-6550

[us.info@csa.canon.com](mailto:us.info@csa.canon.com) [CSA.CANON.COM](http://CSA.CANON.COM)

Canon is a registered trademark of Canon Inc. in the United States and elsewhere. Océ and Océ VariaDot are registered trademarks of Océ-Technologies B.V. in the United States and elsewhere. Océ Arizona is a registered trademark of Océ Display Graphics Systems, Inc. in the United States and elsewhere.

All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged.

©2019 Canon Solutions America, Inc. All rights reserved.