

Color imageCLASS MF642(dw

imageCLASS MF642Cdw

Color | Compact | Multifunction

Print up to 22 ppm

Print up to 8-1/2" x 14"

250-sheet maximum paper capacity

Three-year limited warranty standard

Designed for small and medium-size businesses, the Canon Color imageCLASS MF642Cdw offers feature rich capabilities with high quality and minimal maintenance. Print, scan, and copy capabilities help you accomplish necessary tasks with just one machine. A 5" color touchscreen delivers an intuitive user experience and can be customized by a device administrator to simplify many daily tasks.

imageCLASS MF642Cdw shown

Canon



USABILITY

- 5" intuitive color touchscreen with smartphone-like usability.
- A unique, customized device experience with Application Library.
- Create Wi-Fi[®] Direct hotspot from the printer to establish direct connection to mobile device(s) without the need for external router.



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Intuitive maintenance videos for common tasks like consumables replacement.



WORKFLOW EFFICIENCY

- Supports mobile solutions for printing and scanning.
- Scan and convert documents to searchable digital files through a simplex document feeder.
- Designed for smaller print jobs with first-print time as fast as 10.3 seconds.



COST EFFICIENCY

- High-capacity, all-in-one cartridge helps reduce overall supply costs.
- Out-of-the-box, standard two-sided printing plus the ability to print multiple pages onto one page helps to reduce paper consumption.



SECURITY FEATURES

- Helps mitigate risk of confidential information loss as documents are only stored in short-term memory.
- Security settings can be set behind an administrator log-in.

and Scan.



- A combination of fusing technologies and low-melting-point toner minimizes power requirements and therefore uses less energy.
- Encourages environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR[®] certified and rated EPEAT[®] Silver.¹



Санон

MOBILE-FRIENDLY DEVICE ACCESS

EASY TO USE WITH APPLICATION LIBRARY Unique to the Canon imageCLASS product line, the Application Library platform allows for one-touch button creation of key functions: Print Template, Standby Slide (screen saver), Scan-to-Preset Destination, ID Card Copy,

Consumables Information, Copy (Eco), Copy (Bleed Reduce),

Passport Copy, Fax and Store, Copy (Enhance Text), Name

From application-based to cloud-based to device native, the imageCLASS MF642Cdw model offers a variety of methods for printing from a mobile phone or tablet across iOS and Android devices. The Canon PRINT Business application, which supports both platforms, offers access to additional device settings as well as the ability to scan from the printer to most mobile phone or tablet.



APPLICATION

I IRRARY

Printing



EFFICIENT DOCUMENT SCANNING

The imageCLASS MF642Cdw leverages a document feeder for scanning at up to 28 images per minute (ipm) in black and white or up to 14 ipm in color. Scanned files can be converted into multiple file formats, including Hi-Compression PDF and Searchable PDF (OCR).



100% U.S.-BASED SERVICE AND SUPPORT

From cutting-edge technology to industry-leading response times, Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's award-winning, 100% U.S.based, friendly, and knowledgeable Customer Service team provides expert assistance for every level of experience. The imageCLASS MF642Cdw device comes with a threeyear limited warranty, giving you the support, peace of mind, and value your business deserves.



SPECIFICATIONS

Main Unit

Core Functions Standard: Print, Copy, Scan, Send

Item Code 3102C012

Processor

Canon Custom Processor

Control Panel 5" Color Touch Panel

Memory

1GB

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11b/g/n, Wi-Fi[®] Direct Connection

Paper Capacity (Letter, 20 lb. Bond) Standard: 250 Sheets

Paper Sources (Letter, 20 lb. Bond) 250-sheet Paper Cassette, Standard: 1-sheet Stack Bypass

Paper Output Capacity (Letter, 20 lb. Bond) Standard: 75 Sheets

Supported Media Types

Supported Mit	culu Types
Cassettes:	Thin, Plain, Recycled, Color, Thick, Coated, Label, Letter, Envelope (10 Envelopes), Custom (Min. 3" x 5" to Max. 8.5" x 14"),
	Envelope: COM10, Monarch, C5, DL
Manual Feed	Thin, Plain, Recycled, Color, Thick, Coated,
Slot:	Label, Letter, (1 Envelope)
Supported M	adia Sizos

Supported Media Sizes

Cassettes:	A4, A5, B5, Letter, Legal, Statement,
	Executive
Manual Feed	Letter, Legal, Statement, Executive
Slot:	Envelope: COM10, Monarch, C5, DL
	Custom (Min 3" x 5" to Max 8 5" x 14")

Supported Media Weights

Cassettes: 16 lb. Bond to 53 lb. Bond (60 to 200 g/m²) Manual Feed

16 lb. Bond to 53 lb. Bond (60 to 200 g/m²) Warm-up Time

From Power On: 13 Seconds or Less From Sleep 6.1 Seconds or Less Mode:

Dimensions (W x D x H)

Standard 16.9" x 16.5" x 16.5" (Desktop): (429 mm x 419 mm x 419 mm)

Installation Space (W x D x H)

20.9" x 39.9" x 27.1" (530 mm x 1011 mm x 689 mm)

(Desktop): Weight² Unit:

Standard

Slot:

Approx. 48.4 lb. (22.0 kg) Boxed Weight: Approx. 64 lb.(29.0 kg)

Supported OS

Windows 7/Windows 8.1/Windows 10/Windows Server 2008/Windows Server 2008 R2/Windows Server 2012/ Windows Server 2012 R2/Windows Server 2016 / Mac OS X v10.9.5 (or later)

What Comes In The Box

MF642Cdw Product, Cartridge 054 CMY Starter: 680 Yield/Black Standard: 1,500 Yield, Power Cord, Starter Guide, User Software DVD-ROM, Warranty Card

Print Specifications

Printing Method Laser Beam Printing Print Speed³ Up to 22 ppm (Letter); Up to 32 ppm (Legal) First-Print-Out Time Approx. 10.3 Seconds Recommended Monthly Page Volume 150 - 2,500 Pages Print Resolution (dpi) 600 x 600 Standard Page Description Languages LIFR II **Double-Sided Printing** Automatic (Standard) Direct Print Available from USB Memory (JPEG, TIFF, PDF) Printing from Mobile and Cloud-based Services⁴ Apple[®] AirPrint,[®] Canon PRINT Business, Mopria[™] Print Service, Google Cloud Print^{™5}

Copy Specifications

Copy Speed Up to 22 ppm (Letter); Up to 32 ppm (Legal) First-Copy-Out Time (Letter)

11.2 seconds/13.1 seconds (BW/Color) 12.1 seconds/14.2 seconds (BW/Color) Platen: ADF:

Copy Resolution (dpi)

600 x 600 Copy Size Platen: Up to Letter ADF: Up to Legal Multiple Copies

Up to 999 Copies Magnification

25% - 400% (1% Increments) Preset Reductions

25%, 50%, 64%, 78%

Preset Enlargements 129%, 200%, 400%

Copy Features

Paper Setting, Favorite Setting, Two-sided, Original Type Selection, Cancel, N-on-1, Density Adjustment, Sharpness, Erase Frame, Collate, Copy ID Card

Scan Specifications

Type

Simplex Automatic Document Feeder **Document Feeder Paper Capacity** 50 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes Legal, Letter, Statement

Document Feeder Supported Media Weights 13-28 lb. Bond (50-105 g/m²)

Platen Acceptable Originals

Sheet, Book Pull Scan

ScanGear MF for TWAIN, and WIA

Scan Resolution (dpi) 300 x 600, 600 x 600

Scan-to-Mobile Devices Canon PRINT Business

Scan Speed (Letter)

Single-sided: 14/28 ipm (300 x 600 dpi) (Color/BW)

Memory Media Standard USB Memory (JPEG, TIFF, PDF)

Send Specifications

Destination Email/Internet FAX (SMTP), SMB, FTP

Address Book

LDAP (50)/Local (300)/Speed Dial (281)

Send Resolution (dpi)

600 x 600 (Pull Scan), 196 x 204 (iFax), 300 x 300 (Other) **Communication Protocol**

FTP. SMB File

Email/iFax: SMTP, POP3, iFax (Simple) File Format Standard: TIFF, JPEG, PDF (Compact, Searchable) Optional: PDF (Encrypted, Digital Signature)

Security Specifications

Authentication

Standard:	Department ID Authentication
Network	
Standard:	IP/MAC Address Filtering, IPSEC, TLS Encryped, Communication, SNMP V3.0, IEEE 802.1X(Wired Only), IPv6, SMTP Authentication, POP Authentication, POP Authentication before SMTP
Document	
Standard:	Secure Print
Wi-Fi Auther	ntication Methods

Infrastructure WEP 64/128 bit, WPA-PSK (TKIP/AES), Mode: WPA2-PSK (AES) Wi-Fi Access

WPA2-PSK (AES) Point.

Environmental Specifications

Operating Environment

Temperature: 50 to 86° F Humidity: 20 to 80% RH (no condensation) Power Requirements


AC 120-127 V:6.5 A, 60 Hz

Power Consumption

. Approx. 900 W Maximum: Approx. 10.5 W Standby: Sleep Mode: Approx. 0.8 W Typical 0.6 kWh Electricity Consumption (TEC) Rating: Standards

ENERGY STAR[®] Qualified, Rated EPEAT Silver¹

CONFIGURATION AND ACCESSORIES



imageCLASS MF642Cdw Item Code: 3102C012

Extended Service Plans Available For Purchase

If service is required, you may receive a replacement model* via advanced exchange. In this case, you'll be instructed to return the damaged unit to Canon in the replacement packaging, which also includes a prepaid shipping label. Or you may choose to carry your existing equipment to a local Authorized service facility for repair.

Canon eCarePAK (Exchange/Carry-In)

Canon extended service plans extend standard three-year limited warranty⁶ support to cover additional one to two years.

One-Year: 5707B042

Two-Year: 5707B043

* Replacement model may be new or refurbished quality.

GENUINE® CONSUMABL Always look for the Canon anti- counterfeiting hologram on your Canon GENUINE product packagin	Canity and Can	1000 0054 H	
Cartridge 054 ^{**} Starter C/M/Y	Item No.: 2199C001	Yields 680 Pages	
Cartridge 054 [▲] Black	Item No.: 3024C001	Yields 1,500 Pages	
Cartridge 054 H Black	Item No.: 3028C001	Yields 3,100 Pages	
Cartridge 054 Cyan	Item No.: 3023C001	Yields 1,200 Pages	
Cartridge 054 H Cyan	Item No.: 3027C001	Yields 2,300 Pages	
Cartridge 054 Magenta	Item No.: 3022C001	Yields 1,200 Pages	
Cartridge 054 Yellow	Item No.: 3021C001	Yields 1,200 Pages	
Cartridge 054 H Magenta	Item No.: 3026C001	Yields 2,300 Pages	
Cartridge 054 H Yellow	Item No.: 3025C001	Yields 2,300 Pages	

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues.

This Cartridge is included with purchase.
Not available for separate purchase.

¹ For latest EPEAT ratings (Gold/Silver/Bronze), please visit **www.epeat.net**.

² Includes consumables.

³ Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.

- ⁴ Canon PRINT Business is a free app available on the App Store^{*} and Google Play[™] Store. For more information, including compatibility, please visit https://www.usa.canon.com/mobile-app. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
- ⁵ Subscription to a third-party cloud service required. Subject to third-party cloud service providers' terms and conditions.

⁶ Warranty program is subject to certain conditions and restrictions. See warranty card for details.





Wi-Fi* is a registered trademark of the Wi-Fi Alliance*. As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiencycriteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors.

©2019 Canon U.S.A., Inc. All rights reserved.

0215E896 0319-iC642-424RV-1M-PFIH

