# NEXT GENERATION MX FAMILY

Your business, powered by **NEXT-GENERATION** printing solutions

| MX3 | MX4 | MX7 |
|---|---|---|

Experience Efficiency
Streamlined and reliable

**PRACTICAL**

Industry-best monthly duty cycle

Up to **80,000** pages

Experience Possibilities
Expandable and customizable

**EXTENSIBLE**

Work smarter with an intuitive user experience and various powerful apps

**Samsung SMART UX Center**
powered by Android™

Experience Excellence
Unparalleled power and performance

**ULTIMATE**

Complete your job 2X faster

Quad-core
**1.5GHz CPU**

Ultra-fast Dual Scan
**Up to 240 ipm**

* Availability of each product can vary, depending on the launching status for each country.

---

## GENUINE
### SAMSUNG SUPPLIES

**Real Savings, Certified Eco-Technology.**
Always make the right impression
by using genuine Samsung supplies.

TÜVRheinland®
CERTIFIED
www.tuv.com
ID 0000046133

**For more information
about genuine Samsung supplies,** visit
http://www8.hp.com/us/en/products/samsung-oas/index.html

## SAMSUNG

Compatible with Windows®7 | Windows 8 Compatible | ENERGY STAR | DER BLAUE ENGEL KLIMA | mopria ALLIANCE

# SAMSUNG

# smartmultiXpress 4

The New way of
Printing, Innovated
**for Smarter Business**

## Multifunction

**BLI**
**BUYERS LAB**
**2015 PICK**

### K4350 | K4300 | K4250 Series

**SMART PRINTING.**
BUSINESS INNOVATION.

# EXPERIENCE POSSIBILITIES EXPANDABLE AND CUSTOMIZABLE

## Overview

To keep up with the fast-paced business world, businesses today are embracing bring-your-own-device (BYOD) policies. This is leading to more efficient, seamless operations and highly productive, always-on employees using smart intuitive technology in the form of smartphones and cloud computing.

Businesses now want to extend that smart technology to all devices to gain the same level of intuitiveness and flexibility. A printer is no exception. From scanning to printing, printers are expected to have the same smart functionalities as cutting edge mobile devices. Businesses seek smart printing solutions that can be easily managed while still delivering powerful performance at reduced costs.

SMART MultiXpress K4350 series provides smart usability that allows users to work faster and more efficiently using intuitive, easy-to-use controls. And with high-performance and cost-efficient features, these printers can meet the printing need of businesses that depend on swift operations, while minimizing total cost of ownership (TCO).

### SL-K4350 Series:



K4350LX (35 ppm)  K4300LX (30 ppm)  K4250RX (25 ppm)

## Key benefits

**Work smarter with an intuitive Smart UX Center**

- Touch to point, just like on a tablet
- Do more with productivity-boosting features
- Tap to print with NFC technology

**Process prints and scans at super-fast speed without sacrificing quality**

- Faster scanning and fuss - free printing
- Stand out with sharp, high - quality print output

**Stay worry-free from security risk, high operational costs and more**

- Stay worry-free from failure, security risk and downtime
- Lower costs with high durability
- Enhance productivity with variable options

# WORK SMARTER WITH AN INTUITIVE SMART UX CENTER

## Touch to print, just like on a tablet

Innovation and usability is built into the SMART MultiXpress K4350 series. The Samsung Smart UX Center is the industry first open UX system powered by Android™ that is intuitive and extensible, and it ensures compatibility with various Android-based devices.



**Samsung Smart UX Center**
Powered by Android™

**Awarded for Smart UX Center's Unique and Innovative Possibilities**

## Do more with productivity-boosting features

Easily set up printers by downloading essential apps from the Printing App Center. Productivity tools include Remote Fax, Dynamic Workflow with Smart Scan, with more to be added. http://printingapps.samsung.com

## Tap to print with NFC technology

Simply tap to print, scan or fax documents from any NFC-supported mobile device using advanced NFC technology. The wireless option with NFC Pro provides user authentication through a mobile device.

# PROCESS PRINTS AND SCANS AT SUPER-FAST SPEED WITHOUT SACRIFICING QUALITY

## Faster scanning and fuss-free printing

The SMART MultiXpress K4350LX printer is equipped with Dual-Scan ADF technology that delivers faster scanning speed of up to 80 single-sided image per minute (ipm) and up to 100 double side ipm for color and up to 120 double-side ipm for mono, and a 1 GHz dual-core CPU that powers printing at 35 pages per minute (ppm). With high-performance speed printing, businesses can work smoothly and operate more efficiently.

High-speed dual scan
**Up to 120 ipm**

1GHz Dual-Core CPU
**Up to 35 ppm**

## Stand out with sharp, high-quality print output

Samsung's unique Rendering Engine for Clean Page (ReCP) technology delivers sharper text and cleaner images. A superior resolution of 1,200 x 1,200 effective dpi ensures that everything you do will stand out.

**Conventional**

**Samsung**

ReCP

# STAY WORRY-FREE FROM SECURITY RISK, HIGH OPERATIONAL COSTS AND MORE

## Stay worry-free from failure, security risk and downtime

The Samsung K4350 series offers industry-best control of user, document and network access at the enterprise security level. It supports authentication, print job protection, network security and protocols and hard disk protection, while enabling administrators to manage the control panel and printing privileges.

Authentication    Access Control    Job Protection    Network Security / Protocol    Hard Disk Protection

## Lower costs with high durability

Best-in-class maximum monthly duty means high durability, reducing costs and eliminating the tedious changing of toner cartridges, drums and developer.

Toner Capacity
(Max 35,000 pages)

**Up to 120K**
maximum monthly duty

## Enhance productivity with variable options

Boost productivity with a 2,250-sheet booklet finisher and a 3,250-sheet high-volume finisher that automatically staples up to 65 sheets.

Up to
**3,250**
pages

# SAMSUNG MULTIFUNCTION PRINTER

## smartmulti**Xpress4**

### K4350 | K4300 | K4250 Series

## Specifications

| General | K4350 | K4300 | K4250 |
|---|---|---|---|
| Standard Functions | Print, Copy, Scan | | |
| Processor | 1 GHz (Dual Core) | | |
| Operational Panel | 10.1" Color Touch Screen Panel | | |
| Memory (Standard) | 4 GB (2GB for Android OS) | | |
| Memory (Maximum) | 4 GB (2GB for Android OS) | | |
| Hard Disk Drive | 320 GB (User Available Space : 279 GB) | | |
| Interface (Standard) | USB Device, USB Host x 4, Ethernet 10/100/1000 Base TX | | |
| Interface (Optional) | IEEE 802.11 b/g/n (NFC Active Type), IEEE 802.11 b/g/n/ac (NFC Active Type, BLE) | | |
| Warm-up Time (From Power On) | 25 sec | | |
| Warm-up Time (From Sleep) | 23 sec | | |
| Power Requirements | AC 220 - 240 V, 50 / 60 Hz, AC 110 - 127 V, 50 / 60 Hz (Not dual voltage, power supply varies by country) | | |
| Power Consumption | 800 W (Printing), 800 W (Copying), 100 W (Ready), 1.5 W (Sleep), 2.279 kWh (TEC) | 800 W (Printing), 800 W (Copying), 100 W (Ready), 1.5 W (Sleep), 1.798 kWh (TEC) | 800 W (Printing), 800 W (Copying), 100 W (Ready), 1.5 W (Sleep), 1.478 kWh (TEC) |
| Noise Level | Less than 52 dBA (Printing), Less than 55 dBA (Copying), Less than 30 dBA (Ready) | Less than 51 dBA (Printing), Less than 55 dBA (Copying), Less than 30 dBA (Ready) | Less than 50 dBA (Printing), Less than 53 dBA (Copying), Less than 30 dBA (Ready) |
| Dimension (WxDxH) | 566 x 640 x 829 mm (22.3" x 25.2" x 32.6") | | |
| Weight (SET Only / SET with Supplies) | Set Only : 63 kg (138.9 lb) Set with Supplies : 68.1 kg (150.1 lb) | | - LX Series Set Only : 63 kg (138.9 lb) Set with Supplies : 68.1 kg (150.1 lb) - RX Series Set Only : 61.7 kg (136 lb) Set with Supplies : 66.2 kg (146 lb) |
| Max. Monthly Duty Cycle | 120,000 pages | 110,000 pages | 100,000 pages |
| Recommended Monthly Print Volume | 7,000 - 15,000 pages | 6,000 - 12,000 pages | 5,000 - 10,000 pages |
| Security | SSL/TLS, IPv6, IPSec, SNMPv3, IEEE 802.1x, Kerberos, SMB, LDAP, Protocol&Port Management, IP/MAC Filtering HDD Overwrite, HDD Encryption, Common Criteria Certification (ISO 15408), Audit Log, Access Control | | |
| Client OS Support | Windows : XP (32/64 bit), 2003 Server (32/64 bit), Vista (32/64 bit), 2008 Server (32/64 bit), Windows 7 (32/64 bit), 2008 Server R2 (64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2012 (64 bit), Windows Server 2012 R2 (64 bit), Windows 10 (32/64 bit) Linux : RedHat Enterprise Linux 5, 6, Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20, OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, SuSE Linux Enterprise Desktop 10, 11, Debian 6, 7, Mint 13, 14, 15, 16 Unix : Sun Solaris 9, 10, 11 (x86, SPARC), HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium), IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 (PowerPC) Mac : OS 10.5 - 10.11 | | |
| Network Protocols | TCP/IPv4, IPv6, DHCP, BOOTP, AutoIP, DNS, DDNS, WINS, Standard TCP/IP, LPR/LPD, IPP, ThinPrint, Google Cloud Print, AirPrint, WSD print, FTP print, HTTP, SNMP (v1/2c/3), Telnet, SLP, Bonjour, UPnP (SSDP), WSD Discovery, SMTP, FTP, I-Fax (T.37), LDAP, SMB, Kerberos | | |

| Print | K4350 | K4300 | K4250 |
|---|---|---|---|
| Speed (Mono) | Up to 35 ppm in A4 / Letter | Up to 30 ppm in A4 / Letter | Up to 25 ppm in A4 / Letter |
| First Print Out Time (Mono) | As fast as 7.5 sec | As fast as 8.0 sec | As fast as 8.5 sec |
| Resolution | Up to 1,200 x 1,200 dpi with Reduced Speed | | |
| Print Languages | PCL5, PCL6, PS3, PDF V1.7 | | |
| Duplex Print | Built-in | | |
| Direct Print Support | JPEG, PDF, PRN, TIFF, XPS | | |
| Print Features | WSD Print, Proof Print, Secure Print, Stored Print, Booklet Print, N-up, Cover Page Print, Barcode Print, Eco Print, Skip Blank Pages, Banner page by OS, Poster Print, Watermark, Tray Priority Settings, Auto Tray Switching, Tray Protection, Direct Print from USB, Secure PDF Print ,Insert Page, Except Page | | |
| Mobile Print Feature | Apple AirPrint, Mopria-certified, Google Cloud Print, Samsung Cloud Print, PrinterOn Cloud Print, Samsung Mobile Print, Samsung Print Plugin | | |

| Copy | K4350 | K4300 | K4250 |
|---|---|---|---|
| Speed (Mono) | Up to 35 cpm in A4 / Letter | Up to 30 cpm in A4 / Letter | Up to 25 cpm in A4 / Letter |
| First Copy Out Time (Mono) | As fast as 4.9 sec | As fast as 5.5 sec | As fast as 6.2 sec |
| Resolution | Up to 600 x 600 dpi | | |
| Reduce / Enlarge Range | 25 - 400% | | |
| Multi Copy | 9,999 pages | | |
| Duplex Copy | Built-in | | |
| Copy Features | ID Copy, N-Up, Booklet, Image Repeat, Auto Fit, Book Copy, Poster Copy, Watermark, Overlay, Stamp, Covers, Build Job, Preview, Edge Erase, Image Shift, Image Adjustment, Background Adjustment, Preview, Program, Proof Copy, Copy to Edge | | |

| Scan | K4350 | K4300 | K4250 |
|---|---|---|---|
| Scan Speed (Mono) | Simplex 80 ipm (300 dpi), Duplex 120 ipm (300 dpi) | | - LX Series<br>Simplex 80 ipm (300 dpi), Duplex 120 ipm (300 dpi)<br>- RX Series<br>45 ipm (300 dpi) |
| Scan Speed (Color) | Simplex 80 ipm (300 dpi), Duplex 100 ipm (300 dpi) | | - LX Series<br>Simplex 80 ipm (300 dpi), Duplex 100 ipm (300 dpi)<br>- RX Series<br>45 ipm (300 dpi) |
| Compatibility | Windows : TWAIN<br>Mac : TWAIN, ICDM<br>Linux : SANE | | |
| Method | Color CCD | | |
| File Format | PDF, Searchable PDF, Compact PDF, Digital Signature in PDF, PDF/A, Outline PDF, PDF Encryption, TIFF, XPS, JPEG | | |
| Resolution (Optical) | Up to 600 x 600 dpi | | |
| Resolution (Enhanced) | Up to 4,800 x 4,800 dpi | | |
| Scan Destinations | Email, FTP, SMB, BOX, USB, WSD, PC, I-Fax | | |
| Scan Document Weight | 42 - 163 g/m² | | |

| Paper Handling | K4350 | K4300 | K4250 |
|---|---|---|---|
| Input Capacity (Cassette) | 520-sheet Tray x 2 | | |
| Input Capacity (Multipurpose Tray) | 100 sheets | | |
| Input Capacity (Maximum) | 2,180 Sheets (Standard 1,140 sheets + Optional 1,040-sheet Dual Cassette Feeder) | | |
| Media Type (Cassette) | Plain, Thin, Bond, Hole Punched, Pre-Printed, Recycled, Thin CardStock, Letterhead, Thick, Cotton, Colored, Archive, Thin Glossy, Heavy weight, Extra Heavy weight | | |
| Media Type (Multipurpose Tray) | Plain, Thin, Thick, Heavy weight, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, LetterHead, Hole Punched, Thin Cardstock, Thin Glossy, Envelope, Label | | |
| Media Size (Cassette) | Cassette 1 : B4, A4, B5(JIS), B5(ISO), A5, Legal, Letter, Executive, Statement, Oficio, Folio, 16K, Custom(148.5 x 210 mm - 297 x 354 mm (5.8" x 8.3" - 11.7" x 14.3"))<br>Cassette 2 : A3, B4, A4, B5(JIS), B5(ISO), A5, Ledger, Legal, Letter, Executive, Statement, Oficio, Folio, 8K, 16K, Custom (148.5 x 210 mm - 297 x 432 mm (5.8" x 8.3" - 11.7" x17")) | | |
| Media Size (Multipurpose Tray) | A3, B4, A4, B5(JIS), B5(ISO), A5, A6, Ledger, Legal, Letter, Executive, Statement, Oficio, Folio, 8K, 16K, Envelope Monarch, Envelope DL, Envelope C4, Envelope C5, Envelope C6, Envelope No. 10, Envelope No. 9, Post Card 4 x 6, Custom (98 x 148 mm - 297 x 432 mm (3.9" x 5.8" - 11.7" x 17")) | | |
| Media Weights (Cassette) | 60 - 220 g/m² | | |
| Media Weights (Multipurpose Tray) | 60 - 176 g/m² | | |
| ADF Type | DSDF | | - LX Series<br>DSDF<br>- RX Series<br>RADF |
| ADF Document Capacity | 100 sheets | | |
| Output Capacity | 500 sheets | | |

| Supplies | K4350 | K4300 | K4250 |
|---|---|---|---|
| Toner (Black) | MLT-D708S (25,000 pages), MLT-D708L (35,000 pages) *Estimated Yield at 6% Coverage | | |

# Options

| Dual Cassette Feeder | SL-PFP502D |
|---|---|
| Capacity | 1,040 Sheets |
| Media Sizes | A3, B4, A4, B5(JIS), B5(ISO), A5, Ledger, Legal, Letter, Executive, Statement, 8K, 16K, Oficio, Folio, Custom (148.5 x 210 mm - 297 x 432 mm) |
| Media types | Plain, Thin, Bond, Hole Punched, Pre-Printed, Recycled, Thin CardStock, Letterhead, Thick, Cotton, Colored, Archive, Thin Glossy, Heavy weight, Extra heavy weight |
| Media weight | 60 - 220 g/m² |
| Sensing | H/W Install Detect, Paper Empty Detect, Paper Low Level Detect, Paper Size Detect, Cover Open Detect |
| Dimension (WxDxH) | 566 x 610 x 265 mm (22.3" x 24" x 10.4") |
| Weight | 20 kg (44.1 lb) |

| Stand | SL-DSK502T |
|---|---|
| Dimension (WxDxH) | 566 x 610 x 265 mm (22.3" x 24" x 10.4") |
| Weight | 15 kg (33.1 lb) |

| Inner Finisher | SL-FIN501L |
|---|---|
| Capacity | 550 Sheets (Main Tray 500 Sheets, Top Tray 50 Sheets) |
| Sensing | Paper Jam, Tray Sensing, Stapler, Cover Open |
| Media Sizes | Main Tray : 148 x 140 mm - 320 x 1,200 mm (5.9" x 5.5" - 12.6" x 47.2")<br>Top Tray : 98 x 140 mm - 297 x 1,200 mm (3.9" x 5.5" - 11.7" x 47.2") |
| Media types | Main Tray: Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Thin Glossy, Thick Glossy, Heavy Glossy, Thick Envelope, Transparency, Labels<br>Top Tray: Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Extra Heavy Weight 4, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Thin Glossy, Thick Glossy, Envelope |
| Media Weight | Main Tray : 52 - 256 g/m² (14 lb Bond - 140 lb Index)<br>Top Tray : 52 - 325 g/m² (14 lb Bond - 120 lb Cover) |
| Number of Bin | 2 (Main Tray, Top Tray) |
| Dimension (WxDxH) | 458 x 491 x 173 mm (18" x 19.3" x 6.8") |
| Weight | 15.0 kg (33.1 lb) |
| Top Tray Finishing Mode | Stacking |
| Top Tray Finishing Capacity | 50 Sheets |
| Main Tray Finishing Mode | Stacking, Offsetting, Stapling |
| Main Tray Finishing Capacity | 500 Sheets (Offset, Stacked), 50-sheet x 5 Sets (Offset, Stapled) |

\* Supported paper specifications ranges are of all supported range of this option, but actual paper specifications ranges may vary depending on the mainframe that this option is configured with.

| Booklet Finisher | SL-FIN701B |
|---|---|
| Capacity | 2,250 Sheets (Main Tray 2,000 Sheets, Top Tray 250 Sheets), 25-sheet X 5 Sets (Booklet Tray) |
| Sensing | Paper Jam, Tray Sensing, Stapler, Cover Open |
| Media Sizes | Main Tray : 216 x 140 mm - 320 x 457 mm (8.5" x 5.5" - 12.6" x 18.0")<br>Top Tray : 98 x 148 mm - 330 x 1200 mm (3.9" x 5.8" - 13.0" x 47.2")<br>Booklet Tray : 182 x 257 ~ 305 x 457 mm (7.2" x 10.1" - 12" x 18") |
| Media types | Main Tray : Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Extra Heavy Weight 4, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra Heavy Cardstock 1, Extra Heavy Cardstock 2, Thin Glossy, Thick Glossy, Heavy Glossy, Transparency, Tab<br>Top Tray : Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra HeavyCard Stock 1, Thin Glossy, Thick Glossy, Heavy Glossy, Envelope, Thick Envelope, Transparency, Labels, Tab<br>Booklet Tray : Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Extra Heavy Weight 4, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra HeavyCard Stock 1, Extra HeavyCard Stock 2, Thin Glossy, Thick Glossy, Heavy Glossy |
| Media Weight | Main Tray : 52 - 325 g/m² (14 lb Bond - 120 lb Cover)<br>Top Tray : 52 - 300 g/m² (14 lb Bond - 110 lb Cover)<br>Booklet Tray : 60 - 120 g/m² (16 lb Bond - 32 lb Bond) |
| Number of Bin | 3 (Main Tray/Top Tray/Booklet Tray) |
| Dimension (WxDxH) | 751.7 x 610 x 1,016.4 mm (29.6" x 24.0" x 40") |
| Weight | 62.0 kg (136.7 lb) |
| Top Tray Finishing Mode | Stacking |
| Top Tray Finishing Capacity | 250 Sheets |
| Main Tray Finishing Mode | Stacking, Offsetting, Stapling |
| Main Tray Finishing Capacity | 2,000 sheets (Offset, Stacked), 65-sheet x 15 Sets (Offset, Stapled) |
| Booklet Tray Finishing Mode | Booklet Making, V/C-folding |
| Booklet Tray Finishing Capacity | 25-sheet X 5 Sets (Booklet)<br>5-sheet x 10 Sets (V-Folded)<br>3-sheet X 10 Sets (C-Folded) |

\* Supported paper specifications ranges are of all supported range of this option, but actual paper specifications ranges may vary depending on the mainframe that this option is configured with.

| High Volume Finisher | SL-FIN701H |
| --- | --- |
| Capacity | 3,250 Sheets (Main Tray: 3,000 Sheets, Top Tray: 250 Sheets) |
| Sensing | Paper Jam, Tray Sensing, Stapler, Cover Open |
| Media Sizes | Main Tray : 210 x 140 mm - 320 x 457 mm (8.5" x 5.5" - 12.6" x 18.0")<br>Top Tray : 98 x 148 mm - 330 x 1200 mm (3.9" x 5.8" - 13.0" x 47.2") |
| Media types | Main Tray : Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Extra Heavy Weight 4, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra Heavy Cardstock 1, Extra Heavy Cardstock 2, Thin Glossy, Thick Glossy, Heavy Glossy, Transparency, Tab<br>Top Tray : Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra HeavyCard Stock 1, Thin Glossy, Thick Glossy, Heavy Glossy, Envelope, Thick Envelope, Transparency, Labels, Tab |
| Media Weight | Main Tray : 52 - 325 g/m² (14 lb Bond - 120 lb Cover)<br>Top Tray : 52 - 300 g/m² (14 lb Bond - 110 lb Cover) |
| Number of Bin | 2 (Main Tray, Top Tray) |
| Dimension (WxDxH) | 751.7 x 610 x 1,016.4 mm (29.6" x 24.0" x 40") |
| Weight | 40 kg (88.2 lb) |
| Top Tray Finishing Mode | Stacking |
| Top Tray Finishing Capacity | 250 Sheets |
| Main Tray Finishing Mode | Stacking, Offsetting, Stapling |
| Main Tray Finishing Capacity | 3,000 sheets (Offset, Stacked), 65-sheet x 15 Sets (Offset, Stapled) |

* Supported paper specifications ranges are of all supported range of this option, but actual paper specifications ranges may vary depending on the mainframe that this option is configured with.

| Fax Kit | CLX-FAX160 |
| --- | --- |
| Type | Fax Kit |
| Compatibility | ITU-T G3, Super G3 |
| Modem Speed | 33.6 kbps |
| Memory | HDD Shared |
| Resolution | Up to 600 x 600 dpi (Mono) |
| Auto Dial | Yes |
| Fax Features | Auto Redial, Caller ID, Secure Reception, Fax forwarding to Fax/Email/SMB/FTP/Box, Job Build, Preview, etc. |

| Dual-Line Fax Kit | SL-FAX2501 |
| --- | --- |
| Type | Dual Fax Kit |
| Compatibility | ITU-T G3, Super G3 |
| Modem Speed | 33.6 kbps |
| Memory | HDD Shared |
| Resolution | Up to 600 x 600 dpi (Mono) |
| Auto Dial | Yes |
| Fax Features | Auto Redial, Caller ID, Secure Reception, Fax forwarding to Fax/Email/SMB/FTP/Box, Job Build, Preview, Dual line, etc. |

# CUSTOMIZE YOUR MFP WITH
# FLEXIBLE OPTIONS

## Configurations & Options

### Paper Output



**Job Separator**
(SL-JSP500S)

OR

**Inner Finisher**
(SL-FIN501L)

**High-volume Finisher**
(SL-FIN701H)

**Booklet Finisher**
(SL-FIN701B)

+ MUST BUY

**Secondary Exit**
(SL-DPX501)

**Spacer**
(SL-DSK503S)

**Inner Finisher Punch Kit**
(SL-HPU501T,
SL-HPU501F, SL-HPU501S)

**Booklet/High-volume Finisher Punch Kit**
(SL-HPU701T,
SL-HPU701F, SL-HPU701S)

**Inner/Booklet Finisher Staples**
(SCX-STP000 (50sh.))

**Booklet/High-volume Finisher Staples**
(SL-STP000 (65sh.))

**DSDF**
(K4350LX/K4300LX/K4250LX)

\* K4350 series need Spacer SL-DSK503S to install HVF/Booklet.

\* High-volume Finisher and Booklet Finisher are not compatible with SL-K4250RX

☐ Factory Configured

☐ Optional

**RADF**
(K4250RX)

## Table

**Working Table**
(CLX-WKT001)

**Multi-purpose Table**
(SL-WKT101)

## Kit

**Wireless LAN/NFC Kit**
(SL-NWE001X)

**Wireless LAN/NFC/BLE Kit**
(SL-NWE002X)

**Additional LAN Kit**
(SL-NWA001N)

**Foreign Device Interface**
(CLX-KIT10F)

**Fax Kit**
(CLX-FAX160)

**Dual-Line Fax Kit**
(SL-FAX2501)

## Paper Input

OR

**Stand**
(SL-DSK502T)

**Dual Cassette Feeder**
(SL-PFP502D)