

FUJITSU Document Scanner

SP-1120



PalmSecure Palm Vein Authentication System

Robust front-end biometric authentication for healthcare data and identity management

- Improve patient security and privacy. An increasing number of patients are encountering an alarming trend where their confidentiality is being compromised. In order to circumvent this, the U.S. Congress has strongly recommended that medical organizations adopt an electronic medical record system. As an additional safeguard to patient privacy, the federal government is now regulating the protection of healthcare data. With the passage of the Health Insurance Portability and Accountability Act (HIPAA), medical personnel are now required to use two forms of authentication in order to access:
1. Protect patient records while assisting with HIPAA regulatory compliance.
 2. Improve patient services through enhancement of secured information sharing capabilities.
 3. Reduce organizational expenses and administrative tasks.
 4. Assist with combating healthcare insurance and billing fraud.
 5. Easily integrate with existing software program.
 6. Noninvasive, contactless and highly accurate.

Basic professional scanner

20
Pages per minute

Duplex
Scans both sides

TWAIN & ISIS®
Supported

Sizes up to
Legal
8.5" x 14"

24-bit Color

600
Optical DPI

SP-1120

Basic professional scanner



Safe and reliable scanning

- Capably scans at up to **40 images per minute**
- **Compact design** fits tight workspaces
- **Scans most common plastic cards and documents** up to 120" long
- **Brake rollers** for accurate separation
- **Ultrasonic multi-feed detection sensor** to stop misfed documents, reducing damage

Efficiently manage your documents

- **ABBYY FineReader Sprint** offers powerful OCR recognition in over 190 languages and conversion to Searchable PDF and Microsoft Office formats
- **Presto! PageManager** converts to Searchable PDF and offers great organization features and integration with various applications

Clean image processing with PaperStream IP for SP Series

PaperStream IP (PSIP) for SP Series is a TWAIN/ISIS®-compliant driver that optimizes scanned images without changing driver settings in advance. PSIP features powerful adjustments like:

- **Auto Color Detection** to automatically identify the best color mode for the document
- **Multi-Image Output** to release images in more than one output format
- **Blank Page Detection** to automatically remove blank pages

PaperStream Capture Lite specializes in routine scanning

The easy-to-understand interface ensures simple operation from start to finish. Routine operations like batch scanning are made quick and easy, so the SP-1120 will fit into your workflow without a lot of software to learn and drivers to configure.

Centralized fleet management

Includes Scanner Central Admin to remotely manage your entire fi Series and SP Series fleet. Effectively allocate your resources based on scan volume, consumables wear, and more.


Consumables

Roller Set	PA03708-0001	Replace every 100,000 sheets or 1 year
To buy Genuine Fujitsu Parts and Consumables, visit FujitsuScannerStore.com or call 800.301.9475		

Make it even better with PaperStream Capture Pro

Optional PaperStream Capture Pro software offers superior front-end capture, image processing, and options for enhanced data extraction and indexing for release.

Try it for free! Ask your reseller for a demo, visit paperstream.com, or call us at 888.425.8228.



Fujitsu Computer Products of America, Inc.
 1250 East Arques Avenue, Sunnyvale, CA 94085
 888.425.8228 Sales · 800.626.4686 Technical Support
us.fujitsu.com/fcpa · info@fcpa.fujitsu.com

Technical Specifications

Document feeding method		Automatic Document Feeder (ADF)	
Scanning modes		Simplex/Duplex in Color, Grayscale, or Monochrome	
Image sensor type		Single-line CMOS-CIS x 2 (Front x1, Back x1)	
Light source		3 Color LED x 2 (Front x1, Back x1)	
Multi-feed protection		Ultrasonic multi-feed detection sensor	
Document size	Minimum	2.0" x 2.9" (52 x 74 mm)	
	Maximum	Legal Portrait (8.5" x 14" or 216 x 356 mm)	
	Long page scanning ¹	120" (3,048 mm)	
Paper weight	Paper	13.4 - 56lb. (50 to 209 g/m ²)	
	Plastic card	0.0299" (0.76mm) or less	
Scanning speed ²	200 or 300 dpi, Letter, Color ³ , Grayscale ³ and Monochrome ⁴	Simplex	20 pages/minute
		Duplex	40 images/minute
ADF capacity ⁵		50 Sheets (A4/Letter: 20 lb. or 80 g/m ²)	
Background color		White	
Output resolution ⁶	Color (24-bit), Grayscale (8-bit), Monochrome (1-bit)	50 to 600 dpi, 600 dpi optical, 1200 dpi software ⁷	
Interface		USB 2.0 / USB 1.1	
Power requirements		100 to 240 VAC, 50/60 Hz	
Power consumption		Operating: 18 W or less Sleep mode: 1.6 W or less Auto-standby (Off) mode: 0.4 W or less	
Operating environment	Temperature	41° to 95°F (5° to 35°C)	
	Relative humidity	20% to 80% (non-condensing)	
Dimensions (WxDxH) ⁸		11.7" x 5.3" x 5.2" (298 x 135 x 133 mm)	
Weight		5.5 lb (2.5 kg)	
Included in the box		AC cable & adapter, USB cable, Setup DVD-ROM	
Bundled software (DVD format)		PaperStream IP (TWAIN/ISIS) for SP Series, WIA Driver ⁹ , PaperStream Capture Lite, Software Operation Panel, Error Recovery Guide, Scanner Central Admin, Presto! PageManager, ABBYY FineReader Sprint	
Environmental designations ¹⁰		ENERGY STAR®, RoHS	
Supported operating systems		Windows® 10 (32-bit/64-bit), Windows® 8.1 (32-bit/64-bit), Windows® 7 (32-bit/64-bit), Windows Server® 2019 (64-bit), Windows Server® 2016 (64-bit), Windows Server® 2012 R2 (64-bit), Windows Server® 2012 (64-bit), Windows Server® 2008 R2 (64-bit), Windows Server® 2008 (32-bit/64-bit), Linux (Ubuntu) ⁹	
Image processing functions		Multi-image output, Auto color detection, Auto page size detection, Blank page detection, Dynamic threshold (iDTC), Advanced DTC, SDTC, Error diffusion, Dither, De-screen, Emphasis, Dropout color, sRGB output, Split image, De-skew, Edge filler, Vertical streak reduction, Digital endorser, Background pattern removal	

¹ When resolution is set to 200 DPI or less ² Actual scanning speeds are affected by data transmission and software processing times ³ Using JPEG compression ⁴ Using TIFF CCITT Group 4 compression ⁵ Maximum capacity varies depending upon paper thickness ⁶ Selectable maximum density may vary depending on length of document ⁷ When scanning at high resolutions (600 dpi or higher), some limitations to document size may apply depending on system environment ⁸ Excludes ADF chute ⁹ Functions equivalent to those offered by PaperStream IP may not be available with the Image Scanner Driver for Linux and WIA Driver ¹⁰ Pfu Limited, a Fujitsu company, has determined that this product meets the ENERGY STAR® guidelines for energy efficiency and RoHS requirements (2005/95/EC)



Insist on Genuine Fujitsu Service to keep your scanner running at its best. Ask your reseller or call 888.425.8228.

