# HP Color LaserJet Pro M453-M454 series



# HP Color LaserJet Pro M454 printer. Designed to let you focus on growing business, staying ahead.

Winning in business means working smarter. The HP Color LaserJet Pro M454 printer is designed to let you focus your time where it's most effective-helping to grow your business and staying ahead of the competition.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



#### HP Color LaserJet Pro M454dn



#### HP Color LaserJet Pro M454dw

# Built to keep you—and your business—moving forward.

- Help decrease the amount of paper used in the office by printing on both sides of the page.
- Grab pages and go—without waiting. This device wakes up and prints first page out fast.<sup>1</sup>
- Print wirelessly with or without accessing the network with dual band Wi-Fi and Wi-Fi direct.<sup>2,3,4</sup>
- ROAM compatible for easy printing from virtually anywhere<sup>5</sup>

## Best -in-class security <sup>6</sup>

- A suite of embedded security features help protect your printer from being an entry point for attacks.<sup>6</sup>
- Help secure confidential information with optional PIN/Pull printing to retrieve print jobs.<sup>7</sup>
- Optional HP JetAdvantage Security Manager lets you set configuration policies and validate settings.<sup>8</sup>
- Thwart potential attacks and take immediate action with instant notification of security issues.1°

## Simply designed to uncomplicate your day

- Set up this printer fast and easily manage device settings to help increase overall printing efficiency.
- Make the most of your office space with a printer that conveniently fits into your work style.
- Work without delays or messes, with cartridges featuring auto seal removal.
- Tackle tasks quickly and easily—with the simple 2.7" (6.8cm) color touchscreen.

## Sustainability is smart business

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges.
- Help save paper right out of the box. The duplex print setting is set at default paper savings mode.<sup>9</sup>
- Saves up to 11% energy over prior products.<sup>10</sup>
- Help save energy with HP Auto-on/Auto-off technology.<sup>12</sup>

http://www.hp.com/go/mobileprinting <sup>3</sup> Features is only supported by the HP Laser Jet Pro M454nw and M454dw printers. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN

Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a rebot. For a list of printers, visit hp.com/go/Printers ThatProtect. For more information: http://www.hp.com/go/Printersecurityclaims <sup>7</sup> Pin printing enabled via USB installed in rear of device.

<sup>8</sup> HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager
<sup>9</sup> All new product introductions beginning in Fall 2019 will include consistent worldwide default duplex settings (across bundles/drivers); Spring 2019 will include consistent worldwide default duplex settings for most products across the most common drivers. <sup>10</sup> Based on HP Internal testing using normalized TEC Value, 2019. <sup>11</sup> Instant threat notifications can appear on the device control panel when a potential threat occurs from malicious intent or there is a bug or vulnerability in the firmware code of the device. If this error raises concern,

please control panel error message may show an error code on a blue screen during code signature checks or memory write intrusions. 14 PA uto-DR tachodow carabilities catabilities to prior to end end the server signature checks or memory write intrusions. <sup>2</sup> HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Letter: Black/Color-9.8/12.1, A4: Black/Color 9.9/12.4 sec.
<sup>2</sup> Wireless operations are compatible with 2.4 GHz and 5 GHz operations. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at

connections.<sup>4</sup> Feature is supported on the HP Laser Jet Pro M454nw and M454dw printers only. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct–capable MFP or printer prior to printing. Depending

on mobile device, an app or driver may also be required. Learn more at http://www.hp.com/go/businessmobileprinting <sup>5</sup> Feature is only available for the HP Color Laser Jet Pro M452dw. Requires a wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language, and agreements and requires a firmware upgrade. For details, visit hpconnected.com <sup>6</sup> Based on LP review of 2010 publiched country in the printer of the HP review of 2010 publiched country.

# Product walkaround

1.150-sheet output bin

2. Easy-access USB port<sup>1</sup>

3. Front door release button

4. Front door access to HP JetIntelligence toner cartridges

5. Hi-Speed USB 2.0 printing port, USB port for job storage with PIN printing,<sup>2</sup> Gigabit Ethernet LAN port

6. 2.7-inch (6.9 cm) customizable color touchscreen<sup>3</sup>

7. 50-sheet multipurpose tray 1 supports media sizes up to 8.5 x 14 inches (216 x 356 mm)

8. Dual-band Wi-Fi with Bluetooth<sup>®</sup> Low Energy<sup>4</sup> for easy wireless printing and setup 9. Automatic two-sided printing

10. 250-sheet tray 2 supports media sizes up to 8.5 x 14 inches (216 x 356 mm)



# Series at a glance





Model	HP Color LaserJet Pro M454dn	HP Color LaserJet Pro M454dw
Model (product number)	M454dn (W1Y44A)	M454dw (W1Y45A)
Functions	Print	
Print speed (black and color) <sup>5</sup>	Up to 28/27 pages per minute (letter/A4)	
Two-sided printing	Automatic	
50-sheet multipurpose tray 1, 250-sheet tray 2	√	
Optional input accessory: 550-sheet paper tray	√	
Easy-access USB port <sup>1</sup>	Not available	$\checkmark$
Control panel <sup>3</sup>	2-line LCD	2.7-inch (6.9 cm) customizable color touchscreen
Input capacity (standard/maximum <sup>6</sup> )	Up to 300/850 sheets	
Recommended monthly page volume <sup>7</sup>	Up to 4,000 pages	
Cartridge yields <sup>8</sup> (A/X)	Black: ~2,400/7.500 pages; Color: ~2,100/6,000 pages	
Dual-band Wi-Fi with Bluetooth® Low Energy <sup>4</sup>	Not available	√

<sup>1</sup> An administrator must enable the easy-access USB port before use.
 <sup>2</sup> Requires purchase of separate USB flash drive with at least 16 GB capacity.
 <sup>3</sup> The color touchscreen is only available on the HP Color Laser Jet Pro M454dw model. The M454dn model has a 2-line LCD display.
 <sup>4</sup> Wireless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance<sup>®</sup>. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Learn more at hp.com/go/mobileprinting.
 <sup>5</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>6</sup> Purchase of optional paper-handling accessories required to reach maximum input capacity. <sup>7</sup> Recommended Monthly Page Volume (RMPV): HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. <sup>8</sup> Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors. Optional high-yield cartridges are not included in printer purchase and must be purchased

separately.

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:

#### **Top features**

Today's businesses are always on, and always connected. Choose a printer that can keep up with how you actually work, collaborate, and get things done.

HP Print Security isn't just about securing printers. It's about helping to secure your network with real-time threat detection, automated monitoring, and software validation-designed to detect and stop an attack as it happens.6

You have enough to worry about each day. It's easy to accomplish what you need—and exceed your own expectations—with a streamlined printer that's simple to use.

Business is all about resource management, and finding efficiencies is everyone's responsibility. HP LaserJet printers are designed with the environment in mind, so you can handle what you need while conserving energy wherever possible.

#### Accessories

HP Laser Jet 550-sheet Paper Feeder CF404A

HP v222w 16GB Mini USB Drive POR81AA

#### Supplies

HP 414A Black Original LaserJet Toner Cartridge (~2,400 pages) W2020A

HP 414A Cyan Original LaserJet Toner Cartridge (~2,100 pages) W2021A

HP 414A Yellow Original Laser Jet Toner Cartridge (~2,100 pages) W2022A

HP 414A Magenta Original LaserJet Toner Cartridge (~2,100 pages) W2023A

HP 414x Black Original LaserJet Toner Cartridge (~7,500 pages) W2020x

HP 414x Cyan Original LaserJet Toner Cartridge (~6,000 pages) W2021x

HP 414x Yellow Original LaserJet Toner Cartridge (~6,000 pages) W2022x

HP 414x Magenta Original LaserJet Toner Cartridge (~6,000 pages) W2023x

#### Services

#### Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsg

<sup>1</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Letter: Black/Color-9.8/12.1, A4: Black/Color 9.9/12.4 sec. <sup>2</sup> Wireless operations are compatible with 2.4 GHz and 5 GHz operations. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at

http://www.hp.com/go/mobileprinting
<sup>3</sup> Features is only supported by the HP LaserJet Pro M454nw and M454dw printers. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN

connections. <sup>4</sup> Feature is supported on the HP Laser Jet Pro M454nw and M454dw printers only. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct–capable MFP or printer prior to printing. Depending

<sup>5</sup> Feature is only available for the HP Color Laser Jet Pro M452dw. Requires a wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language, and agreements and requires a firmware upgrade. For details, visit hpconnected.com

agreements and requires a limitware upgrate. For treating, solid pictures (solid pictures), solid pictures (solid pictures), solid pictures (solid pictures), solid pictures), solid pictures, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

 <sup>7</sup> Pin printing enabled via USB installed in rear of device.
 <sup>8</sup> HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager
 <sup>9</sup> All new product introductions beginning in Fall 2019 will include consistent worldwide default duplex settings (across bundles/drivers); Spring 2019 will include consistent worldwide default duplex settings for most <sup>10</sup> Based on HP Internal testing using normalized TEC Value, 2019.

<sup>14</sup> Based on HP Internal testing using normalized TEC value, 2019. <sup>14</sup> Instant threat notifications can appear on the device control panel when a potential threat occurs from malicious intent or there is a bug or vulnerability in the firmware code of the device. If this error raises concern, please contact your company IT representative or, if unavailable, HP Support, who can investigate the cause through analysis of device syslog data using a standard SIEM tool from McAfee, Splunk, Arcsight or SIEMonster. The control panel error message may show an error code on a blue screen during code signature checks or memory write intrusions. <sup>12</sup> HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.





Windows<sup>®</sup>10





# HP Color LaserJet Pro M453-M454 series

Model	HP Color LaserJet Pro M454dn	HP Color LaserJet Pro M454dw	
Product number	W1Y44A	W1Y45A	
AIO functions	Print		
Print			
Print speed <sup>128</sup>	Letter: Up to 28 ppm Black; Up to 28 ppm Color; 2-sided: Up to 25 ipm Black; Up to 25 ipm Color; First page out: As fast as 9.5 sec Black; As fast as 11.3 sec Color; Print speed (Landscape, AS): Up to 49 ppm Black; Up to 49 ppm Colo		
Print resolution	Black (best) 600 x 600 dpi, Up to 38, 400 x 600 enhanced dpi; Black (normal) 600 x 600 dpi, Up to 38, 400 x 600 enhanced dpi Color (best): 600 x 600 dpi, Up to 38, 400 x 600 enhanced dpi; Color (normal): 600 x 600 dpi, Up to 38, 400 x 600 enhanced dpi		
Print technology	Laser: Print resolution technology: HP ImageRet 3600, PANTONE® calibrated		
Print cartridges number Standard print languages	4 (1 each black, cyan, magenta, yellow) HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF, URF, PWG Raster HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF, URF, PWG Raster		
	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF, URF, PWG Raster	Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, Wi-Fi Direct Printing, ROAM enabled for easy printing, HP	
Printer smart software eatures	Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, ROAM capable for easy printing, HP ePrint, HP Auto- On/Auto-Off Technology, Job Storage with PIN printing, N-up printing, collation	ePrint, HP Auto-On/Auto-Off Technology, Bluetooth® Low-Energy, Job Storage with PIN printing, N-up printing, collation	
Printer management	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Ma (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)	nager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Drive	
Connectivity			
Standard connectivity	1 Hi-Speed USB 2.0 port; 1 host USB at rear side; built-in Gigabit Ethernet 10/100/1000 Base-TX network port	1 Hi-Speed USB 2.0 port; 1 host USB at rear side; built-in Gigabit Ethernet 10/100/1000 Base-TX network port; 1 Wireless 802.11b/g/n/2.4/5 Ghz Wi-Fi radio	
		Wireless 802.11b/g/n/2.4/5 Ghz Wi-Fi radio	
Network capabilities	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x		
Wireless capability		Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WP Wi-Fi Direct; Bluetooth Low-Energy	
Mobile printing capability <sup>6</sup>	Apple AirPrint™; Google Cloud Print™; HP ePrint; HP Smart App and other mobile Apps; Mopria™ Certified; ROAM ca		
Memory	Standard: 256 MB NAND Flash, 512 MB DRAM; Maximum: 256 MB NAND Flash, 512 MB DRAM	Standard: 512 MB NAND Flash, 512 MB DRAM; Maximum: 512 MB NAND Flash, 512 MB DRAM	
rocessor speed	1200 MHz /		
uty cycle (monthly) <sup>9</sup>	Letter:Up to 50,000 pages; Recommended monthly page volume <sup>10</sup> ; 750 to 4000		
Paper handling			
nput	50-sheet multipurpose tray, 250-sheet input tray, Up to 300 sheets Standard		
)utput	150-sheet output bin; Up to 150 sheets Standard		
Juplex Options	Automatic (default)		
nvelope feeder	No 		
tandard paper trays			
1edia types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes		
4edia weight	Tray 1: 16 to 47 lb bond (up to 52 lb with HP Color laser glossy photo papers); Tray 2: 16 to 43 lb bond (up to 47 lb with postcards, up to 52 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with the Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with the Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with the Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with the Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with the Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with the Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with the Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 48 l		
4edia sizes		ay 3: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in; Automatic duplexer: Letter, legal, executive, Oficio (8.	
Media Sizes Custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.94 x 5.83 to 8.5 x 14 in		
Dimensions (w x d x h)	16.2 x 18.5 x 11.6 in; <b>Maximum:</b> 16.2 x 25.6 x 11.6 in	16.2 x 18.5 x 11.6 in; <b>Maximum:</b> 16.2 x 25.6 x 13.4 in	
Weight What's in the box <sup>1</sup>	41.7 lb HP Color Laser Jet Pro M454dn; 4 preinstalled Introductory HP Laser Jet Toner cartridges (Black, Cyan, Magenta, Yellow: ~ 1200 pages); In-box documentation (Getting Started Guide, Install Poster), regulatory flyer; Internet connection is required to set up the printer. HP printer software is available at http://www.hp.com/support; Power cord: USE atable (AP only)	HP Color LaserJet Pro M454dw; 4 preinstalled Introductory HP LaserJet Toner cartridges (Black, Cyan, Magenta, Yellow: ~1200 pages); In-box documentation (Getting Started Guide, Install Poster), regulatory fiver, warranty card (China, Mexico); Internet connection is required to set up the printer. HP printer software is available at http://www.hp.com/support; Power cord; USB Cable.	
Warranty features	One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4E; wty ID A033)		
Energy efficiency compliance	EPEAT® Silver; CECP; ENERGY STAR® qualified; Blue Angel RAL-UZ 205		
Control panel	2-line backlit LCD graphic display; 5 buttons (Cancel, Select, Reverse, Right/Left arrows); LED indicator lights (Attention, Ready)	2.7 inch intuitive color touchscreen; 3 Buttons (Home, Help, Back)	
Display	2-line backlit LCD graphic display 2.7-in intuitive color touchscreen		
oftware included	No software solutions are included in the Box, only on http://hp.com, http://123.hp.com/laserjet		
Fonts and typefaces	84 scalable TrueType fonts		
Compatible operating systems	Windows Client 05 (32/64 bit), Win10, Win8, 1, Win8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile 05, i05, Android, Mac, Apple® mac05 Sierra v10.12, Apple® mac05 High Sierra v10.13, Apple® mac05 Migave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hc.om, Enter your product name and search, fick on USer Guide, Search for your (Product Name) USer Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems see http://www.hp.com/gound		
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R4, Windows Server 2012 R4, Windows Server 2012 R4, Chris Server 65, Citrix server 67, Server 2012 R4, Ser	ruer 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2018 R2, Terminal server Tirx Ready KIC tertification – Up to Citrix Server 7.18 for more information see http://citrixeady.citrix.com, Linux- For tp://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating syster	
1inimum system equirements	PC2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com		
<sup>2</sup> ower <sup>3</sup>	Power supply type: Internal (built-in) Power Supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage power supply varies by part number with # Option code identifier). Power consumption <sup>4</sup> : 550 watts (attace printing), 17 watts (ready), 0.9 watts (sleep), 0.9 watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual-on), 0.07 watts (of the supple) varies by part number with # Option code identifier). Power consumption <sup>4</sup> : 550 watts (attace printing), 17 watts (ready), 0.9 watts (sleep), 0.9 watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual-on), 0.07 watts (of the supple) varies by part number with # Option code identifier). Power consumption <sup>4</sup> : 550 watts (attace printing), 17 watts (ready), 0.9 watts (sleep), 0.9 watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual-on), 0.07 watts (of the supple) varies by part number with # Option code identifier). Power consumption <sup>4</sup> : 550 watts (attace printing), 17 watts (ready), 0.9 watts (sleep), 0.9 watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual-on), 0.07 watts (of the supple) varies by part number with # Option code identifier). Power consumption <sup>4</sup> : 550 watts (attace printing), 17 watts (ready), 0.9 watts (sleep), 0.9 watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual-on), 0.07 watts (of the supple) varies by part number with # Option code identifier). Power consumption and the supple varies of the s		
Acoustics	Acoustic power emissions: 6.2 B(A)		
Operating environment	Operating temperature range: 59 to 86°F; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH (non-condensing); Recommended operating hum range: 20 to 70% RH (non-condensing)		
Security management	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPD over TLS; Network: enable/disable network ports and features, nursed protocol and service disablement, SNMPv1, SNMPv2, and SNMPv2, community password change; IPD ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificate configuration, UPD IPN printing, Syslog, signed firmware, administrator settings, 802.1 x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional IPD eIAdvantage Security Manager	Secure Boot: Secure Firmware Integrity: Runtime Code Integrity: password protected EWS; secure Boot SSL/TLS 10, TLS 11, TLS 12; IPP over TLS; Network: enable/disable network ports and features; unused protoco and service disablement; SNMPv1; SNMPv2; and SNMPv3; community password change; IHP ePrint; HTTPS with certificate volidation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.11 su thentication (EAP-TLS, and PEAP); authentication val WEP; WPA/WPAP zersona; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetKdvantage Security Manager; IPS	

<sup>4</sup> Toner cartridges designed for distribution and use within a designated region only; will not work outside of designated region.

<sup>5</sup> Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies <sup>6</sup> Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical

- Luca printurg requires mobile device and printer to be on the same network (usually WH-1 access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Remote printing requires an Internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. For more information visit hp.com/go/mobileprinting. To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth<sup>®</sup> Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam

<sup>7</sup> Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

<sup>8</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<sup>9</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser Jet or HP Color Laser Jet devices, and enables appropriate

deployment of printers and MFPs to satisfy the demands of connected individuals or groups. <sup>10</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period

<sup>12</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

#### To learn more, visit hp.com

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries

<sup>&</sup>lt;sup>1</sup> In box cartridges yield ~1,200 color composite (C/Y/M) and ~1,200 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions.

<sup>&</sup>lt;sup>2</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115V device.

<sup>&</sup>lt;sup>3</sup> BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

<sup>&</sup>lt;sup>11</sup> HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. For more information, visit http://www.hp.com/go/SureSupply; only available with Original HP supplies; Internet access required. <sup>12</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and