

SPECIFICATIONS V1.0

PRINT							
Print Features	Document Printing, Photo Printing, Wireless Printing ⁵ , Mobile Device Printing, Borderless Printing ⁹ , Business Card Printing, Greeting Card Printing, Label Printing, Camera Direct Photo Printing, Square Media Printing Support, Double-sided Matte Paper Support						
Printing Capability	Single Sided (Simplex) Printing, Borderless Printing ⁹ (3.5" x 3.5" to 8.5" x 11")						
Print Speed (ESAT) ¹⁰	<table border="0"> <tr> <td>Color Photo (4" x 6")</td> <td>Borderless: Approx. 47 sec.</td> </tr> <tr> <td>Black Document (Letter)</td> <td>Simplex: Approx. 3.9 ipm</td> </tr> <tr> <td>Color Document (Letter)</td> <td>Simplex: Approx. 3.9 ipm</td> </tr> </table>	Color Photo (4" x 6")	Borderless: Approx. 47 sec.	Black Document (Letter)	Simplex: Approx. 3.9 ipm	Color Document (Letter)	Simplex: Approx. 3.9 ipm
Color Photo (4" x 6")	Borderless: Approx. 47 sec.						
Black Document (Letter)	Simplex: Approx. 3.9 ipm						
Color Document (Letter)	Simplex: Approx. 3.9 ipm						
Number of Nozzles	Left (BK/R/GY): 384x3 Right (C/M/Y): 384x3 Total: 2,304						
Print Resolution ¹¹	Up to 4800 x 1200 dpi						
Media Handling	Rear Paper Tray						
Supported Paper/ Media Sizes	3.5" x 3.5" (Square), 4" x 6", 5" x 5" (Square), 5" x 7", 7" x 10", 8" x 10", Letter (8.5" x 11"), Legal (8.5" x 14"), Envelopes (U.S. #10, DL, CS, Monarch), Card Size (91 mm x 55 mm) Custom Size: Width: 2.2" - 8.5" / Length: 3.5" x 47"						
Supported Borderless Printing ⁹	3.5" x 3.5" (Square), 4" x 6", 5" x 5" (Square), 5" x 7", 7" x 10", 8" x 10", Letter (8.5" x 11"), Card Size (91 mm x 55 mm)						
Canon Paper / Media Compatibility	Plain: Plain Paper, Canon High Resolution Paper; Glossy: Photo Paper Plus Glossy II, Photo Paper Glossy; Semi-Gloss: Photo Paper Plus Semi-Gloss, Photo Paper Pro Luster; Matte: Matte Photo Paper, Double-sided Matte Paper; Other (Canon): Magnetic Photo Paper, Restickable Photo Paper, Iron-On Transfers; Other (non-Canon): Cardstock, Greeting Card, Envelope, Recycled paper and Chlorine-free paper can be used						
Paper Capacity	Rear Paper Tray: 100 Sheets of Plain Paper OR 20 Sheets 4" x 6" / 10 Sheets 5" x 7"						
Supported Media Thickness / Weight	Plain Paper: 64 - 105 gsm OR Canon Paper: Max. approx. 275 gsm (Canon PT-101 Media)						
COPY							
Copy Features	4-on-1 / 2-on-1 Copy, Borderless Copy ⁹ , Document Copy, Fit-to-Page, Frame Erase Copy (Flatbed Only), ID Card Copy, Auto Exposure Copy, Multiple Copy (Up To 99 Pages), Photo Copy, Preset Copy Ratios, Reduction / Zoom Copy (25% - 400%), Standard Copy						
Maximum Document Size	8.5" x 11.7" (A4 / Letter)						

CANON PIXMA G620 SPECIFICATIONS V1.0

SCAN	
Scan Features	Document Scanning, Photo Scanning, Wireless Scanning ⁵ , Scan to Canon PRINT app ⁸ , Scan Multi-Page PDF, Save to PC
Scanning Capability	Single Sided (Simplex) Scanning
Scanner Type	Flatbed
Scanning Method	Contact Image Sensor (CIS)
Scanning Resolution¹²	600 x 1200 dpi (Optical)
Maximum Color Scanning Bit Depth	Grayscale: 16-bit / 8-bit Color: 16-bit / 8-bit Per Color
Maximum Document Size	Flatbed: 8.5" x 11.7" (A4 / Letter)
INK INFORMATION	
Ink System & Information	6-Color Continuous Ink Supply System (CISS), FINE Print Heads, Integrated Ink Tanks, 'Squeeze-Free' Ink Bottles For Easy & Mess Free Ink Filling, Unique Color Bottle Tip Shape for Correct Filling Every Time
Ink Types	GI-23 Dye-Based Color Ink Bottles (Cyan, Magenta, Yellow, Red, Gray, Black)
Ink Bottles & Fill Volume	GI-23 C, M, Y, BK, R, GY Ink Bottles: 57.0 ml (each)
High Page Yield¹	Up to 3,800 Color 4" x 6" Color Photos Per Full Ink Bottle Set ¹
Print Longevity	The ChromaLife100 System³ protects your photos from fading up to; 100 Years Album Life, or 30 Years Behind Glass (Light Fastness), or 20 Years Without The Glass (Gas Fastness).
PRINTER INFORMATION	
Printer Dimensions (Closed)	17.6" (L) x 19.1" (W) x 10.1" (H)
Printer Dimensions (Paper Installed)	17.6" (L) x 19.1" (W) x 10.1" (H)
Printer Weight	14.5 lbs.

CANON PIXMA G620 SPECIFICATIONS V1.0

GENERAL	
Connectivity	Hi-Speed USB Wireless PictBridge ¹³ Wi-Fi® (802.11b/g/n wireless networking, 2.4 GHz) ⁵
Wireless Information	Standard: IEEE 802.11 b/g/n Security: WEP64/128, WPA-PSK (TKIP / AES), WPA2-PSK (TKIP / AES) Wireless LAN Frequency Band(s): 2.4 GHz Wireless Direct Connection Capable/ Wireless Connect⁴ Capable: Yes
Display	2-Line Mono LCD
General Features	Continuous Ink Supply System (CISS), Auto Power On/Off, Auto Print Head Alignment, Energy Star® Certified ²⁴ , Quiet Mode, Wireless Connect ⁴ , Wireless Direct Connection, User Replaceable Print Head, User Replaceable Maintenance Cartridge
Smart Assistant & Automation Support	Amazon Alexa™ ¹⁴ Google Assistant™ ¹⁴
OS Compatibility	Windows: ¹⁵ Windows® 10, Windows 8.1, Windows 7 SP1 Mac: ¹⁶ macOS v10.12.6 - 10.15 (Catalina) Mobile Operating Systems: ¹⁷ iOS®, iPadOS, Android™
Mobile Printing & Apps (iOS®/ Android™)	AirPrint® ⁶ , Mopria® ⁷ , Canon PRINT app ⁸ , Easy-PhotoPrint Editor app ¹⁸ , PIXMA Chat Print ¹⁹ , PIXMA Cloud Link (for mobile devices) ⁸ , Canon Print Service (for Android™) ²⁰ , Canon Creative Park App ²¹
Software (Windows ¹⁵ / Mac ¹⁶)	PIXMA G620 Wireless MegaTank Photo All-In-One Printer Driver, Easy-PhotoPrint Editor Software ¹⁸ , PosterArtist Lite Software ²²
Supported Languages	32 Supported Languages: Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Slovakian, Slovene, Spanish, Swedish, Turkish, Ukrainian, Vietnamese
Power Information	Energy Efficiency: Energy Star® Certified ²⁴ Auto Power On / Off Capable: Yes Input Voltage: AC 100 – 240 V, 50 / 60 Hz Power Consumption: 16W (0.6W Standby / 0.2W Off)
Warranty ²³	1-Year Limited Warranty with InstantExchange Program.
Sound Management	Quiet Mode: Available Noise Level: Approx. 50.5 dB(A) (Plain Paper)
Box Contents	PIXMA G620 Wireless MegaTank Photo All-In-One Printer Documentation Set of Ink Bottles Power Cord

CANON PIXMA G620 SPECIFICATIONS V1.0

DISCLAIMERS

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND OUTPUT IMAGES ARE SIMULATED.

1. Page yield of included ink bottles used for initial setup is lower than the replacement ink bottles, as a certain amount of ink is consumed to fill into the print head during setup (charging the print head initially). Page yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement ink bottles after initial setup. Page yield varies significantly depending on content printed, ink levels maintained in all six reservoirs, and other factors.
2. Based on MSRP of \$15.99 per bottle for full set of six GI-23 ink bottles as of March 2021 and Canon individual test method using ISO/IEC 29103 test chart and continuous printing simulation with full set of replacement ink bottles after initial setup, which resulted in 4" x 6" photo paper page yield of approximately 3,800 sheets. Page yield may vary depending on content printed and other factors.
3. Based on accelerated testing by Canon in dark storage under controlled temperature, humidity and gas conditions, simulating storage in an album with plastic sleeves. Canon cannot guarantee the longevity of prints; results may vary depending on printed image, drying time, display/storage conditions, and environmental factors. See www.usa.canon.com/chromalife100 for additional details.
4. Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup
5. Wireless printing and scanning requires a working network with wireless 802.11b/g/n capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
6. AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
7. Requires Android™ mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 or later mobile devices with a download of the Mopria Print Service from Google Play.
8. Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 12.0 or later, and Android™ mobile devices running Android 4.4 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n capability as your printer. Requires a compatible social media account and is subject to that social media account's Terms of Service. Certain exceptions may apply.
9. Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer and Photo Stickers. The maximum borderless printing size is 8.5"x11".
10. Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. See www.usa.canon.com/ipm for additional details.
11. Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/4800 inch at minimum.
12. Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
13. DPS over IP compatible device required.
14. Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens.
15. Operation can only be guaranteed on a PC with pre-installed Windows 10, Windows 8.1, Windows 7 SP1.
16. Internet Connection required during software installation. For full compatibility macOS v10.12.1 or later is recommended.
17. Some functions may not be available with these Operating Systems. Please refer to manual or Canon website for details.
18. The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
19. This feature requires the printer to be connected with permission to the Canon Inkjet Cloud Printing Center (CICPC), an Internet connection, active 3rd party (social network or Cloud Storage) account, and a compatible Canon inkjet printer. Certain exceptions may apply.
20. Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
21. Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Requires an active 'Canon ID' available for free, and subject to 'Canon ID' Terms of Service. Visit myid.canon for more information. Certain exceptions may apply.
22. PosterArtist Lite software v3X is compatible with 64/32 bit versions of Microsoft® Windows® 10, Windows 8.1, Windows 7 and only compatible with select Canon PIXMA (released after July 2015), MAXIFY, imagePROGRAF and Océ printers. Minimum computer system requirements: Pentium4 2.8GHz CPU or higher with 1GB RAM, 1024x768 pixel display and 5GB of system hard drive space.
23. Warranty programs are subject to certain conditions and restrictions. See www.usa.canon.com/support for details
24. As an ENERGY STAR® Partner, Canon U.S.A., Inc. has certified this printer as meeting the ENERGY STAR energy efficiency criteria through an EPA-recognized certification body.