

NETWORK





Lexmark E460 Series

Lexmark E460dn

Lexmark E460dw

High-endurance printing delivered in a compact design!



Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and that active print management can cut office print costs by up to 30%1, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

10 Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

Keep your productivity up and costs way down with the Lexmark E460 Series. Network-ready with an intuitive display, it offers effortless operation, confidential printing, advanced security and management tools, and practical ways to lower your running costs – including built-in duplex printing and Lexmark Extra High Yield Toner Cartridges. There is even a wireless model so you can print with true wireless freedom!



Powerfully simple!

With its rapid time-to-first-page, the Lexmark E460 is a powerful asset to your workgroup. It features everything you need to perform at your best, along with great print quality and an intuitive display to simplify your workday.

- Powerful 466 MHz processor
- First page out as fast as 6.5 seconds thanks to the instant warm-up fuser
- High-speed printing up to 40 ppm
- User-friendly 4-line graphical display



Hassle-free management

Your day is too busy to spend time on maintenance issues. The Lexmark E460 brings simplified management to your fingertips. Experience enhanced security and time savings with a range of high-end features you typically wouldn't expect on such an attractively priced printer.

- Lexmark remote management tools available
- Customized early-warning alerts for low toner
- 10-digit numeric pad for secure print release
- Customizable operator panel messaging



Easy on your budget

Benefit from smarter ways to save and an attractive total cost of ownership. In addition to its low acquisition price, the Lexmark E460 offers you cost-effective ways to expand your team's productivity and lower your total cost of printing.

- Lower page cost with Lexmark Extra High Yield Toner Cartridges (up to 15,000* pages)
- Multiple darkness levels save up to 50% on toner
- Built-in networking for easy sharing
- Expandable paper capacity up to 850 sheets

Printing responsibly means everyone wins - your business, your budget and the environment! The Lexmark E460 is designed with eco-conscious features to help you reduce

paper and save energy.

- Built-in duplex saves paper
- Eco-Mode reduces power consumption
- Instant warm-up fuser saves energy
- Lexmark Cartridge Collection Program for easy recycling



Lexmark's guarantee to you

Lexmark's 1-Year Exchange warranty on the Lexmark E Series provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com. Optimize your printer's performance and investment value by using genuine Lexmark supplies, service and parts.

Lexmark E460 Series

High-endurance printing for busy workgroups – in a compact size!

Small in size, BIG on savings!



Affordable printing

Reduce operating costs with multiple toner-level settings and Lexmark Extra High Yield Toner Cartridges (15,000* pages).



Comprehensive messaging

The user-friendly operator panel includes an intuitive 4-line display, which offers you valuable time-saving guidance and assistance.



Eco-Mode

Select this printing mode to automatically lower your energy consumption and drive down paper waste and costs.



Secure printing

Break free from cables with the Lexmark E460dw, a Wi-Fi CERTIFIED 802.11n draft 2.0 printer for superior wireless performance.



Get exactly the performance you need



Lexmark E360

Faster, more-versatile printing with built-in duplex

- Up to 40 ppm print speeds
- 50-sheet multipurpose feeder
- Intuitive 2-line LCD display
- 9,000*-page toner cartridge available
- Recommended average volume: 740 to 6,000 pages

Available models: Lexmark E360d, Lexmark E360dn



Lexmark E460

Compact yet built for demanding higher volume workgroup printing

- User-friendly 4-line operator panel with numeric pad
- Enhanced security and service features
- Compatible with Lexmark Forms and Bar Code Card Solution
- 15,000*-page toner cartridge available
- Recommended average volume: 1,500 to 10,000 pages

Available models: Lexmark E460dn, Lexmark E460dw




Lexmark T650

Ideal for small and midsize workgroups that want great performance, excellent paper handling and an all-round robust design.

- Up to 45 ppm print speeds
- 500MHz processor
- 128MB standard memory
- Recommended monthly volume: 3,000 to 20,000 pages
- 350-sheet standard input, 4,000 maximum

Available models: Lexmark T650n, Lexmark T650dn, Lexmark T650dtn

Printing Printing	
Print Technology	Monochrome Laser
Print Speed (Letter, Black): Up to	40 ppm
Time to First Page (Black)	As fast as 6.5 seconds
Print Resolution, Black	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600
	x 600 dpi
Memory, Standard	64 MB
Memory, Maximum	576 MB
Print Noise Level, Operating	53 dBA
Noise Level, Idle	inaudible dBA
Maximum Monthly Duty Cycle: Up to	80000 pages per month
Recommended Monthly Page Volume	1500 - 10000 pages
Supplies	
Supplies Yield	9,000*-page High Yield Toner Cartridge, 3,500*-page Toner
(*Average standard page yield value declared in accor-	Cartridge, 15,000*-page Extra High Yield Toner Cartridge
dance with ISO/IEC 19752.)	
Cartridge(s) Shipping with Product	7,000*-page Starter Return Program Toner Cartridge
Paper Handling	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Paper Handling Standard	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit,
	250-Sheet Input Tray, 50-Sheet Multipurpose Feeder
Paper Handling Optional	550-Sheet Drawer, Only one drawer may be installed at a time,
Taper Handling Optional	250-Sheet Drawer
Danas Innut Canasity Chandend	
Paper Input Capacity, Standard	300 pages 20 lb or 75 gsm bond
Paper Input Capacity, Maximum	850 pages 20 lb or 75 gsm bond
Paper Output Capacity, Standard	150 pages 20 lb or 75 gsm bond
Paper Output Capacity, Maximum	150 pages 20 lb or 75 gsm bond
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparen-
	cies, Refer to the Card Stock & Label Guide
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope
	C5 Envelope, DL Envelope, A6 Card, Executive, Folio, JIS-B5,
	Legal, Letter, Statement, Universal, Oficio
Compatibility	
Network Protocol Support	TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6
	TCP, UDP
Printer Languages (Standard)	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data
	Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct
	Image
Standard Ports	Centronics IEEE 1284 Bidirectional Parallel, Ethernet 10/100Ba-
	seTX (RJ-45), USB 2.0 Specification Hi-Speed Certified
Microsoft Windows Operating Systems Sup-	2000, XP, Server 2003, XP x64, Server 2003 running Terminal
ported	Services, 2000 Server running Terminal Services, Server 2003
	x64, Server 2003 x64 running Terminal Services, Vista, Vista x6
	Server 2008, Server 2008 x64, Server 2008 running Terminal
	Services, Server 2008 x64 running Terminal Services
Apple Macintosh Operating Systems Supported	
Other Operating Systems Supported	www.lexmark.com
General General	***************************************
Product Warranty	1-Year Exchange
Product Certifications	
Size (in H x W x D)	www.lexmark.com
	10.2 x 15.98 x 14.55 in.
Weight (lb.)	30.87 lb.
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Altitude: 0 - 2500 Meter
	(8,200 Feet), Humidity: 8 to 80% Relative Humidity for Tempera-
	tures less than 25.5°C (78°F)



Paper Handling Standard

_	ling Optional
Part #	Model
34S0700	Lexmark E460dn
Part #	Laser Toner/Print Cartridge
E460X11A	E460 Extra High Yield Return Program Toner Cartridge
E360H11A	E360, E460 High Yield Return Program Toner Cartridge
E260A11A E460X21A	E260, E360, E460 Return Program Toner Cartridge E460 Extra High Yield Toner Cartridge
E360H21A	E360, E460 High Yield Toner Cartridge
E260A21A	E260, E360, E460 Toner Cartridge
E260X22G	E260, E360, E460 Photoconductor Kit
Part #	Paper & Transparencies
70X7240	Laser Printer Transparencies (Letter)
Part #	Paper Handling
34S0550	550-Sheet Drawer
34S0250	250-Sheet Drawer
Part #	Memory Options
1022298	128MB DDR1-DRAM
1022299	256MB DDR1-DRAM
1022301	512MB DDR1-DRAM
14F0245 30G0828	256MB Flash Card Japanese Font Card
30G0825	Korean Font Card
30G0826	Simplified Chinese Font Card
30G0827	Traditional Chinese Font Card
Part #	Application Solutions
30G0829	Lexmark PrintCryption Card
34S0970	E460 Forms and Bar Code Card
Part #	Connectivity
1021231	Parallel (10') Cable
1021294 14T0145	USB (2 Meter) Cable Lexmark N4050e 802.11q Wireless Print Server
14T0145	MarkNet TM N7020e Gigabit Ethernet Print Server
Part #	Extended Warranties
2350250	2-Years Total Exchange Service, Next Business Day
2350251	3-Years Total Exchange Service, Next Business Day
2350252	4-Years Total Exchange Service, Next Business Day
2350254	1-Year Exchange Service Renewal, Next Business Day
2350257	Upgrade to Onsite Service, Next Business Day
2350258 2350259	2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day
2350259	4-Years Total Onsite Service, Next Business Day
2350260	1-Year Onsite Service Renewal, Next Business Day
Part #	Service Parts
40X5400	E460 Fuser Maintenance Kit 110-120V

Lexmark E460dn Laser Printer, 7,000-page* Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information

Models available

Lexmark E460dn: Network ready plus duplex, Part #34S0700 Lexmark E460dw: Duplex with built-in wireless. Part #34S0600



Cost-saving and environmental features



- Duplex printing, Print and Hold (verify print), multi-up printing and support for recycled paper help reduce paper consumption
 Selectable toner-saving modes help reduce the amount of toner used on a page.
- · Lexmark Cartridge Collection Program and end-of-life product recycling help reduce waste.



«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Lexmark believes that the environment is a critical component of responsible business

management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice



lexmark.com/recycle