

## PRO SERIES COLOR DOCUMENT SYSTEMS

### Gain Superior Output with Advanced Technologies

The new Pro Series MX-7090N and MX-8090N light production color document systems offer proven technology, award-winning features and exceptional image quality at speeds up to 80 ppm. Built with the customer in mind, producing professional-looking documents has never been easier. Organizations, large and small, will benefit from the versatility of the available input and output options. Options ranging from the air-feed paper handling option, to the production booklet finisher that prints up to 120 page full-bleed booklets, the Pro Series can help your organization produce more jobs in-house, saving time and money. These new models simplify workflow like never before with the large 15.4" (diagonally measured) touchscreen display utilizing the latest controller architecture and intuitive user interface Sharp has to offer.




### Key Features

- **Ease of Use** – Next generation intuitive user interface with large touchscreen display, simplified Easy Modes and full integration with Fiery Command WorkStation®.
- **Flexible Option** – Choice of three powerful print controllers, including the standard Sharp print controller and two optional Fiery Print Servers operating on the latest FS300 Pro and FS300 platforms for maximum versatility and productivity.
- **Reliability** – Sharp's new fuser technology ensures consistent edge-to-edge printing while the exclusive triple air-feed paper handling option maximizes uptime and employs precise media handling for a wide range of specialty stocks with reliability you can count on.



MX-8090N shown with Fiery Command WorkStation fully integrated at the Sharp control panel, included with the MX-PE13 Fiery Print Server.



### Efficient design and increased multi-function features to maximize business productivity.

- Flexible modular design provides a **wide variety of configurations** from basic high-speed copying and printing to professional folding and **booklet making**.
- 150-sheet **Duplex Single Pass Feeder (DSPF)** scans documents at up to 200 images per minute.
- Up to **13,500-sheet paper capacity** supports media up to **110 lb. cover stock** (300 gsm) and up to 13" x 19" output.
- **Print Engine Paper Catalog** stores up to 1,000 media profiles to help maintain optimum print quality.
- Standard high-performance print controller with **PCL® 6** and **Adobe® PostScript® 3™** included.
- Sharp's **Color Consistency System** with next generation image process control delivers high-quality color output and maintains optimum color balance and toner density page after page.
- Next generation **intuitive user interface** with large **15.4"** (diagonally measured) multi-position touch-screen display with swing-out keyboard.
- Easily **access popular cloud applications**, including Microsoft® OneDrive® for Business, SharePoint® Online and Google Drive™ with Sharp's Cloud Connect features.
- True **1200 x 1200 dpi** printing provides beautiful images and enhanced clarity for fine details such as small text and graphics.
- **Compact PDF** feature dramatically reduces the file size of scanned color documents, resulting in decreased network traffic and more efficient use of disk and cloud storage.
- Standard **Job Management features** make it easy to **print on-demand** as well as view jobs, retain jobs, combine jobs, select print settings and more.
- Sharp's **new fuser technology** ensures consistent edge-to-edge printing with a **uniform finish** across the page for professional-looking full image documents.
- Convenient **End-of-Lease feature** can erase all files on the hard disk drive, all user data, job status data and address book data at trade-in time.

# MX-7090N/8090N SPECIFICATIONS

## Main Specifications

<b>MX-7090N/8090N</b>	Base models include LCD, 150-sheet DSPF, 3,000-sheet paper capacity (2,000-sheet tandem tray and two 500-sheet trays), 1-TB hard disk drive, PCL® 6 and Adobe® PostScript® 3™ network printing, color network scanning, swing-out keyboard, MX-AMX2 application communication module and MX-AMX3 external communication module. Black and color developer are included.																				
<b>Type</b>	Console, color multi-function digital document system																				
<b>Display</b>	15.4" (diagonally measured) color dot matrix high-resolution touch panel tilting display. 1280 x 800 (WXGA)																				
<b>Functions</b>	Copy, print, network print, network scan, document filing and fax <sup>1</sup>																				
<b>Output System</b>	Dry electrostatic transfer/Dual component developer/Magnetic brush development/OPC drums/Belt type fusing/white LED exposure																				
<b>Originals</b>	Sheets and bound documents																				
<b>Max. Original Size</b>	11" x 17"																				
<b>Output Size</b>	Min. 5/8" x 8 1/2", Max. 13" x 19"																				
<b>Copy Speed</b>	70/80 ppm B&W/Color (8 1/2" x 11")																				
<b>Multiple Copy</b>	Max. 9,999 copies																				
<b>First Copy Time (in seconds)<sup>2</sup></b>	<table border="1"> <thead> <tr> <th></th> <th colspan="2">MX-7090N</th> <th colspan="2">MX-8090N</th> </tr> <tr> <th></th> <th>B&amp;W</th> <th>Color</th> <th>B&amp;W</th> <th>Color</th> </tr> </thead> <tbody> <tr> <td>Platen Glass</td> <td>4.0</td> <td>5.6</td> <td>3.7</td> <td>5.1</td> </tr> <tr> <td>DSPF</td> <td>6.5</td> <td>9.2</td> <td>6.3</td> <td>8.8</td> </tr> </tbody> </table>		MX-7090N		MX-8090N			B&W	Color	B&W	Color	Platen Glass	4.0	5.6	3.7	5.1	DSPF	6.5	9.2	6.3	8.8
	MX-7090N		MX-8090N																		
	B&W	Color	B&W	Color																	
Platen Glass	4.0	5.6	3.7	5.1																	
DSPF	6.5	9.2	6.3	8.8																	
<b>Warm Up Time</b>	90 seconds or less <sup>2</sup>																				
<b>Magnification</b>	25% to 400% in 1% increments (with document feeder 25%-200%)																				
<b>Original Feed</b>	150-sheet DSPF																				
<b>Scan Speed</b>	Up to 200 ipm <sup>2</sup> (Monochrome or Color)																				
<b>Original Sizes</b>	5 1/2 x 8 1/2", 8 1/2" x 11", 8 1/2" x 11" R, 8 1/2" x 14", 11" x 17"																				
<b>Paper Capacity</b>	Standard: 3,000 Sheets/Maximum: 13,500 Sheets																				
<b>Paper Feed System</b>	Standard: Tandem Tray 1 - 1,200 sheets (letter size), Tandem Tray 2 - 800 sheets (letter size), Trays 3/4 - 500 sheets ea. (letter/legal/ledger/statement/12" x 18"). Optional multi-bypass tray (for machine) - 100 sheets (letter/legal/ ledger/statement/monarch or COM10 envelopes/12" x 18"), Multi-bypass (for LCT) - 500 sheets (letter/legal/ ledger/statement/12" x 18"), LCT (2-Drawer) - 2,500 sheets each drawer (letter/legal/ledger/12" x 18"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger).																				
<b>Paper Weights and Types</b>	Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy.																				
<b>Duplexing</b>	Standard automatic duplex copying and printing																				
<b>CPU</b>	Multi-Processor Controller at 1.9 GHz, 600 MHz and 400 MHz																				
<b>Interface</b>	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port)																				
<b>Memory</b>	Standard 6 GB																				
<b>Hard Disk Drive</b>	1 TB																				
<b>Copy Resolution</b>	Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi																				
<b>Color Modes</b>	Photo, Full Color Mode, Monochrome (B/W)																				
<b>Exposure Control</b>	Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual																				
<b>Half-tone</b>	256 gradations/2 levels (monochrome)																				
<b>Copy Features</b>	Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts and watermark, 2-in-1/4-in-1/8-in-1 multi shot.																				
<b>Account Control</b>	Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAP server) for copy, print, scan and document management.																				
<b>Cloud Supported Services</b>	Google Cloud Print, Google Drive, OneDrive for Business and SharePoint Online																				
<b>Network Protocols</b>	TCP/IP (IPv4, IPv6, IPsec), HTTP/HTTPS, IPP/IPP-SSL, FTP/FTPS, SNMPv3, SMTP/SMTP-SSL, POP3/POP3-SSL, LDAP/LDAP-SSL, 802.1x for Windows and Unix.																				
<b>Network and Data Security</b>	Includes IP/MAC address filtering, protocol filtering, port control, TLS Encryption, Kerberos, Active Directory integration, data encryption, End-of-Lease, data overwrite (up to 10x) and DoD 5220.22-M																				

## Main Specifications (continued)

<b>Firmware</b>	Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Management)
<b>Management</b>	Web-based management with user/administrator level login, cloning (1 to N) with SRDM and remote front panel access
<b>Device Setup</b>	Remote front panel, remote access to service logs and click counts
<b>Service/Functions</b>	Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout.
<b>Accessibility Features</b>	Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout.
<b>Environmental Standards</b>	International ENERGY STAR Program Ver. 2.0, Law on Promoting Green Purchasing, European RoHS (Restriction of Hazardous Substances)
<b>Power Source</b>	AC 208-240 VAC, 60 HZ, 20 A Receptacle
<b>Power Consumption</b>	Maximum: 2,880W or less
<b>Weight</b>	Approx. 493.4 lbs.
<b>Dimensions</b>	Approx. 38 3/4" (w) x 30 3/4" (d) x 60 3/4" (h)
<b>Network Printing System</b>	
<b>PDL</b>	PCL 6 compatible, True Adobe PostScript 3
<b>Resolution</b>	1200 x 1200 dpi
<b>Print Speed</b>	70/80 pages per minute (8 1/2" x 11")
<b>Print Drivers</b>	Windows 7, Windows 8.1, Windows 10, Windows Server® 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows PPD, macOS X® (including 10.6 to 10.12), all MAC PPD, Linux® PPD
<b>Print Features</b>	Auto configuration, serverless print release, bar code font printing, carbon copy print, chapter inserts, color adjustment settings, color mode, confidential print, continuous printing, custom image registration, different cover page/last page/other page, document control, document filing, duplex printing, electronic sorting, folding, form overlay, hidden pattern print, image rotation, image stamp, image type, job bypass print, job retention, layout print, margin shift, multiple pamphlet, network tandem print, N-up printing, offset stacking, page interleave, pamphlet style, poster print, proof print, print and send mode, transparency inserts, tray status, user authentication, watermarks and zoom print
<b>Direct Printing</b>	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A1, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, Web page, Email, Network Folder and USB
<b>Resident Fonts</b>	80 outline fonts (PCL), 139 fonts (PS)
<b>Interface</b>	RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0
<b>Operating Systems and Environments</b>	Windows 7, Windows 8.1, Windows 10, Windows Server® 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, macOS X 10.6-10.12, UNIX®, Linux®, Citrix® (XenApp 5.0-7.6), Windows Remote Desktop Services and SAP device types <sup>1</sup>
<b>Printing Protocols</b>	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix
<b>Network Scanning System</b>	
<b>Scan Modes</b>	Standard: Color, monochrome, grayscale
<b>Maximum Original Size</b>	11" x 17"
<b>Optical Resolution</b>	600 dpi
<b>Output Modes</b>	600 dpi, 400 dpi, 300 dpi, 200 dpi, 100 dpi
<b>Image Formats</b>	Monochrome: TIFF, PDF, Encrypted PDF, Searchable PDF, DOCX, XLSX, PPTX, TXT and RTF. Color/Grayscale: Color TIFF, JPEG, PDF, Encrypted PDF <sup>1</sup> , PDF/A <sup>1</sup> , Compressed PDF <sup>1</sup> , Searchable PDF, DOCX, XLSX, PPTX, TXT and RTF.
<b>Image Compression</b>	Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)
<b>Scan Destinations</b>	Color/Grayscale: JPEG (high, middle, low)
<b>One-touch Destinations</b>	Email, Desktop, FTP, Folder (SMB), USB
<b>Group Destinations</b>	Up to 500
<b>Programs</b>	48 (combined)
<b>Max. Jobs</b>	Up to 100
<b>Enhanced Email Integration</b>	Standard Gmail connector, standard Exchange connector (on-premise and online)
<b>Sharp OSA Platform</b>	Application Communication Module (MX-AMX2) and External Accounting Module (MX-AMX3) standard

## 4K 100-Sheet Stapler/Finisher (MX-FN21: option)

<b>Type</b>	4,000-sheet console stapler finisher (100-sheet stapling)
<b>Output Trays</b>	Upper tray: Moving offset tray (up to 1,500 letter size sheets) Middle tray: 250 sheets (letter size, non-stapled) Lower tray: Moving offset tray (up to 2,450 letter size sheets)
<b>Stapling Capacity</b>	Up to 100 sheets (letter/statement)
<b>Stapling Positions</b>	1 front, 1 rear, or 2 point stitching
<b>Hole Punching</b>	Optional three-hole punch unit MX-PN13B
<b>Power Source</b>	120 VAC, 60 HZ, 15 A Receptacle
<b>Power Consumption</b>	220W/350W with MX-MF10
<b>Weight</b>	Approx.: 134.5 lbs.
<b>Dimensions</b>	Approx.: 30 3/4" (w) x 30" (d) x 41" (h) (with tray extended)

## 4K 100-Sheet Stapler/Saddle Stitch Finisher (MX-FN22: option)

<b>Type</b>	4,000-sheet console stapler finisher (100-sheet stapling)
<b>Output Trays</b>	Upper tray: Moving offset tray (up to 1,500 letter size sheets) Middle tray: 250 sheets (letter size, non-stapled) Lower tray: Moving offset tray (up to 2,450 letter size sheets)
<b>Stapling Capacity</b>	Up to 100 sheets (letter/statement)
<b>Stapling Media</b>	Plain paper, letter/legal/ledger size or mixed
<b>Stapling Positions</b>	1 front, 1 rear, or 2 point stitching
<b>Saddle Stitch</b>	Center stitch/center fold (2 staples) letter/legal/ledger paper sizes
<b>Saddle Stitch</b>	Up to 6 sets (16-20 sheets)/10 sets (11-15 sheets per set)/15 sets (6-10 sheets per set)/25 sets (1-5 sheets per set)
<b>Max. Sets</b>	(6-10 sheets per set)/25 sets (1-5 sheets per set)
<b>Hole Punching</b>	Optional three-hole punch unit MX-PN13B
<b>Power Source</b>	120 VAC, 60 HZ, 15 A Receptacle
<b>Power Consumption</b>	220W/350W with MX-MF10
<b>Weight</b>	Approx.: 238.1 lbs.
<b>Dimensions</b>	Approx.: 35 1/4" (w) x 30 3/4" (d) x 41" (h) (with tray extended)

## Optional Equipment

<b>MX-LC12</b>	3,500-sheet Large Capacity Cassette (letter)
<b>MX-LC13N</b>	5,000-sheet Large Capacity 2-Drawer Air-Feed Tray (ledger)
<b>MX-LCX3N</b>	3,000-sheet Large Capacity Cassette (ledger)
<b>MX-MF10</b>	100-sheet Multi-bypass Tray (for machine)
<b>MX-MF11</b>	500-sheet Multi-bypass Tray (for MX-LC13N)
<b>MX-LT10</b>	Long Paper Feeding Tray (requires MX-MF10)
<b>MX-FN21</b>	4K Stacking 100-sheet Staple Finisher
<b>MX-FN22</b>	4K Stacking 100-sheet Staple/Saddle Stitch Finisher
<b>MX-CF11</b>	2-Tray Inserter Unit
<b>MX-FD10</b>	Multi-folding Unit <sup>1</sup>
<b>MX-ST10</b>	5,000-sheet Stacker (includes paper cart)
<b>MX-CA10</b>	Paper Cart (additional)
<b>MX-RB12N</b>	Paper Pass Unit (for machine)
<b>MX-RB13</b>	Relay Unit
<b>MX-RB14</b>	Paper Pass Unit (for MX-LC13)
<b>MX-RB15</b>	Curl Correction Unit <sup>1</sup>
<b>MX-RB17</b>	Large Capacity Tray Tandem Connecting Kit
<b>MX-TM10</b>	Trimmer Unit
<b>MX-PN13B</b>	3-Hole Punch Unit (for MX-FN21/FN22)
<b>MX-SCX1</b>	Staple Cartridge (for MX-FN22)
<b>MX-SCX2</b>	Staple Cartridge (for MX-FN21/FN22)
<b>MX-TR14</b>	Right Side Exit Tray
<b>MX-TU14</b>	Center Exit Tray
<b>MX-PF10</b>	Bar Code Font Kit
<b>MX-PE13</b>	External Fiery Print Server
<b>MX-PX13</b>	Fiery Interface Kit (for MX-PE13)
<b>MX-PE14</b>	Embedded Fiery Print Server
<b>MX-PX12</b>	Fiery Interface Kit (for MX-PE14)
<b>MX-BM50</b>	Plockmatic Production Booklet Maker
<b>MX-GBCX2</b>	GBC SmartPunch Pro
<b>MX-FR58J</b>	Commercial Data Security Kit (not available at time of launch)
<b>MX-SL10N</b>	Status Indicator
<b>DVENDPS</b>	Generic Vend Interface Kit

## Supplies

<b>MX-62NTBA</b>	Black Toner Cartridge
<b>MX-75NTCA</b>	Cyan Toner Cartridge
<b>MX-75NTMA</b>	Magenta Toner Cartridge
<b>MX-75NTYA</b>	Yellow Toner Cartridge
<b>MX-62NVBA</b>	Cyan Developer
<b>MX-62NVSA</b>	Cyan/Magenta/Yellow Developer
<b>MX-62NRSA</b>	Drum
<b>MX-700HB</b>	Toner Collection Container

<sup>1</sup> Some features require optional equipment. See your local dealer.

<sup>2</sup> May vary depending on product configuration, machine settings and operating and/or environmental conditions.

<sup>3</sup> Go to [www.sharpusa.com](http://www.sharpusa.com) for a list of supported devices and operating systems.



SHARP ELECTRONICS CORPORATION  
100 Paragon Drive, Montvale, NJ 07645  
1-800-BE-SHARP • [www.sharpusa.com](http://www.sharpusa.com)

Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server, Excel, PowerPoint, OneDrive and SharePoint are registered trademarks of Microsoft Corporation. Android, Google Drive, Gmail is a registered trademark of Google Inc. EFI, Fiery, Electronics For Imaging, the Fiery logo, the EFI log, Spot-On, Command WorkStation are trademarks or registered trademarks for Electronics For Imaging, Inc. Adobe and PostScript are registered trademarks of Adobe Systems Inc. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. All other trademarks are the property of their respective owners.