


MFX-C3400

II" X I7" COLOR OUTPUT Letter / Legal Footprint





DEPLOY. DUPLICATE. DIGITIZE. DELIVER.

nuratec

Full Color Printing

- The MFX-C3400 produces high-speed color output at up to 26 pages-per-minute (34 page-per-minute monochrome)
- Advanced color technology sharpens output to produce rich, high-quality documents using ordinary office paper
- PCL 5c / XL and PostScript3 emulations enable printing from a variety of operating systems and network environments
- 40-GB hard drive enables password-protected printing (256-bit encryption available), job timeout, secure erase and print to hard drive
- Standard duplex printing reduces paper consumption to promote cost savings and environmental responsibility
- High-speed USB 2.0 port, IEEE 1284 parallel port and 10/100 BaseT Ethernet port offer connections for both local and networked PC's

Robust Color Copying

- Experience the performance of a traditional A3 color copier in an MFP that can easily be installed within the workgroup
- 50-sheet reversing automatic document feeder (RADF) efficiently captures two-sided, multi-page documents
- $|I|^* \times 17^*$ platen glass enables the seamless copying of carbon papers, bound documents, photos, coated identification cards and other media that is not suitable for the RADF
- Flexible paper options can be installed to handle a variety of output requirements

26.3"

MFX-C3400

22.2"

The MFX-C3400 from Muratec delivers exceptional II" x I7" color printing, robust color copying, high-speed faxing and intuitive digital document delivery to e-mail addresses, PC folders and USB flash drives, all within the footprint of a traditional letter/legal multifunction device.

Digital Document Delivery

- Easily deliver color documents to e-mail addresses, PC folders and FTP sites
- Documents can be delivered in PDF, TIFF, JPEG and XPS file formats*
- On-the-go users can conveniently scan documents to a portable USB flash drive
- Intuitive QWERTY keypad enables the customization of scan file names, e-mail text messages, e-mail addresses and more
- * JPEG and XPS supported within color and grayscale scanning modes only

High-Speed Faxing

- 33.6 Kbps fax modem delivers faxes quickly and efficiently
- Convenient, one-touch fax delivery using the fax address book
- Broadcast to multiple fax locations to reduce key-op and increase efficiency
- Send fax documents directly from your PC using the intuitive PC fax driver



IMPRESSIVE DOCUMENT HANDLING AND INTUITIVE OPERATION



50-sheet reversing automatic

document feeder enables the copying, faxing and scanning of multipage, two-sided originals without having to break them into multiple sets. Also supports mixed original copying.

The II" x I7" platen glass seamlessly captures documents that are not appropriate for the RADF including carbon forms, coated identification cards, bound originals, photos and more.



Multipurpose bypass tray can be quickly adjusted to accommodate a variety of media sizes and weights.



Power Save – The MFX-C3400 promotes responsible energy usage by automatically entering a low-power mode after idling. The quick warm-up time and first-copy-out performance insure that the MFX-C3400 will be ready when needed.

Mode Function Keys – Quickly switch between modes to enable seamless MFP performance

LCD Panel – The 5.8" backlit LCD enables users to quickly navigate menus and perform job operations without spending

hours studying a user's guide or having to

perform multiple key-op training sessions.

Interactive Voice Guidance -

Receive verbal, real-time assistance with operational procedures, machine programming and troubleshooting methods.





MFX-C3400

- 300-sheet paper cassette
- 100-sheet multipurpose bypass tray



MFX-C3400 w/C3400CAS1 (Floor Standing)

- 300-sheet paper cassette
- 100-sheet multipurpose bypass tray
- 530-sheet 2nd Paper Cassette
- Large Storage Cabinet
- 930-sheet total paper capacity




MFX-C3400 w/C3400CAS2 (Floor Standing)

- 300-sheet paper cassette
- 100-sheet multipurpose bypass tray
- (2) 530-sheet Paper Cassettes
- Small Storage Cabinet
- 1,460-sheet total paper capacity



Job Programs

PLEX COPY



11.6" x 47.24" – Banner



About Employee Discounts

MEDIA FLEXIBILITY

With the MFX-C3400 you can easily create full color 3" x 5" postcards, 11.6" x 47.24" banners and everything in-between! By combining a highresolution LED print engine, with a seamless paper path, you can efficiently create a variety of color documents faster and with fewer paper jams than the competition.

Applications

- Create point-of-sale graphics, signage and banners to increase visibility and create awareness
- Easily create and distribute postcards to announce new products/services, offer coupons/ specials, generate customer responses, notify customers of an important date (ex. Your annual examination is scheduled for August 1, 2010.) and more
- Deliver dynamic sales presentations and product/service collateral to potential clients



|||" × |7" – Ledger

3" × 5" – Postcard





8.5" × 14" – Legal





4" × 6" – Postcard







DOCUMENT DELIVERY SOLUTIONS

The MFX-C3400 enables your workgroup to electronically capture hard copy documents and deliver them to e-mail addresses, network locations, fax terminals and USB drives.

E-mail

- Deliver documents directly to an e-mail inbox to reduce paper consumption
- Utilize the intuitive QWERTY keypad to customize the file name (document being scanned), subject line (the subject that will appear in the e-mail inbox) and text message (body of the e-mail). Templates can also be created to seamlessly add e-mail signatures and privacy policies to outgoing e-mail transmissions.
- Manually enter e-mail addresses using the QWERTY keypad or select a location from the e-mail address book. The address book can contain up to 500 e-mail contacts.
- Supports LDAP directory look-up
- Supports LDAP & Kerberos authentication

PC

- Deliver documents directly to a PC folder to create digital archives
- Utilize the intuitive QWERTY keypad to customize the file name (document being scanned)
- Deliver documents to a PC folder at the touch of a button utilizing shortcuts. Up to 50 shortcuts can be registered.

Fax

- 33.6 Kbps fax modem transmits documents at up to 3 seconds-per-page
- Store up to 500 fax numbers in the address book for instant recall
- Manually dial fax numbers using the intuitive keypad on the control panel
- Quickly send documents from a PC using the fax driver
- Route inbound fax documents to an e-mail address to reduce paper consumption, increase document security and receive critical communication when out-of-the-office
- Generate a confirmation report to show whether a fax transmission was successful.

USB

• Quickly and securely digitize documents, without a PC, by capturing images directly onto a USB flash drive via the front-mounted USB port.



| @Mail Address | Cancel | Enter |
|--|--------|-------|
| /onn@abccompany.com_ | | |
| | Delete | |
| 1 2 4 5 6 9 4 6 7 7 9 9 5 8 7 6 9 5 8 7 6 Upper Symbol 5 | | |

| | | | Close |
|------------|----|---|-------|
| File Name | | 4 | |
| Template | | | |
| From/Reply | To | | |

| FileFormat Select file format and press [Enter] | | | |
|--|-------|------|-----------|
| Color | _ | Car | cel Enter |
| PDF | TIFF | JPEG | XPS |
| Mono (Grays | cale) | | |
| PDF | TIFF | JPEG | XPS |
| Mone (Binary) | | | |
| PDF | TIFF | | |



| Fax Functions Select an item to edit. | | | |
|--|-------------------|-----------------------|-------------------|
| | | | Close |
| Doc. Type Normal | Density Normal | DuplexScan OFF | Scan Size Auto |
| Cont. Scan | TTI | TTI Select Default | Delayed Tx OFF |
| Polling | FPolling OFF | F-Code Tx OFF | Menory Tar ON |
| Dialing | Auto Rs ON | Logout | |
| - | | | |

40-GB Hard Drive:

- Secure printing Enables users to suppress document printing until a password has been entered on the control panel.
- 256-Bit Encryption Enables secure transmission of documents from the PC to the MFP.
- **Job Timeout** If a secure print job has not been printed within a set amount of time (as selected by the administrator) the hard drive will automatically erase the job from memory.
- Secure Erase Complete removal of a printed document from the hard drive after printing. The MFX-C3400 hard drive can completely erase all traces of the print job.

MFX-C3400 SPECIFICATIONS

GENERAL

| Recording Method | LED |
|---|---|
| Color Print Speed | 26 pages-per-minute |
| Monochrome Print Speed | 34 pages-per-minute* |
| User Interface | Touchscreen (5.8 inch) |
| Reversing Automatic Document Feeder (RADF) | 50 sheets |
| Standard Paper Capacity | 400 sheets (includes 100-sheet bypass tray) |
| Max. Paper Capacity | 1,460 sheets |
| Cassette Paper Weight | 17 – 46 lb. |
| Bypass Paper Weight | 20 – 90 lb. |
| Duplex Printing | Standard 1:2, 2:2 |
| Duplex Scanning | Automatic |
| Output Tray Capacity | 250 Sheets (Face Down Output) |
| Dimensions (H x W x D) | 26.3" × 22.2" × 25.9" |
| Weight | 141.09 lbs. |
| Toner Yield (Black) | 9,500 impressions** |
| Toner Yield (Yellow, Cyan, Magenta) | 10,000 impressions** |
| Drum Yield (Black, Yellow, Cyan, Magenta) | 20,000 impressions |
| Ethernet Connection | Standard 10/100 BaseT, RJ-45 Connection |
| Networks Supported | Windows, UNIX, AppleTalk, Linux |
| Network Authentication | LDAP, Kerberos |
| IP/MAC Address Filtering | Standard |
| LDAP Support | Standard |
| Local Connection | Standard USB 2.0, IEEE 1284 Parallel Port |
| Hard Drive | 40 GB HDD |
| Hard Drive Overwrite | Standard |
| Memory | 512 MB (Std), 768 MB (Max) |
| | |

PRINT

| Resolution | Up to 600 × 1200 dpi |
|------------------------------|---|
| Page Description Language | Standard PCL 5c / XL & PostScript 3 |
| Client OS Support | Windows: 2000, XP, XP(x64), Vista, Vista (x64), Server 2003 (x86/x64), Server 2008 (x86/x64) Mac OS: 10.3-10.5 |
| Print Alignment | Upper Left Corner |
| Secure Print | Standard |
| RGB Color Management | Standard |
| Font Support | 86 PCL Fonts, 136 PostScript3 Fonts |
| Banner Printing | Up to 11.6" x 47.24" |
| | |

* Based on A4 (LEF)

** Based on ISO 19798.

COPY

| Platen Glass | " × 7" |
|---------------------|---|
| First-Copy-Out-Time | 13 seconds (mono), 14.5 seconds (color) |
| Image Combination | 2:1, 4:1, 8:1 |
| Zoom Ratio | 25 - 400% |
| Electronic Sorting | Standard |
| Number of Copies | 1-999 |
| Mixed Copy Support | Letter / Legal |

SCAN

| JCAN | |
|--|----------------------------------|
| Resolution | 600 × 600 dpi |
| Grayscale | 256 levels |
| Scan To E-mail | Standard |
| Scan To PC | Standard |
| Scan To FTP | Standard |
| Scan To USB | Standard |
| E-mail Address Book | 500 locations |
| PC Folder Shortcuts | 50 shortcuts |
| File Formats Monochrome (Binary) | PDF, TIFF |
| File Formats Monochrome (Grayscale) | PDF, TIFF, JPEG, XPS |
| File Formats Color | PDF, TIFF, JPEG, XPS |
| 300 dpi Scan Speed | 32 scans-per-minute |
| 600 dpi Scan Speed | 21 scans-per-minute |
| TWAIN Compliant | Standard |
| WIA Compliant | Standard (local connection only) |

FAX

| Modem Speed | 33.6 Kbps |
|---------------------|---------------|
| Max. Compression | JBIG |
| Fax Memory | I6 MB |
| Fax Address Book | 500 locations |
| Broadcasting | 530 locations |
| Battery Back-Up | 72 hours |
| Fax Forwarding | Standard |
| Confirmation Report | Yes |

| OPTIONS & ACCESSORIES | ltem no. |
|--|-------------|
| 530-Sheet Paper Cassette + Large Paper Cabinet | C3400CAS1 |
| (2) 530-Sheet Paper Cassettes + Small Paper Cabinet | C3400CAS2 |
| 512-MB Memory Upgrade | C3400MEM512 |
| 8.5" X 35.4" Banner Paper | C3400BAN35 |
| II.6" X 47.2" Banner Paper | C3400BAN47 |

nuratec



As an ENERGY STAR® partner, Murata Machinery, Ltd. has determined that these products meet the ENERGY STAR® guidelines for energy efficiency. Muratec and the Muratec logo are trademarks and/or registered trademarks of Murata Machinery, Ltd. or its subsidiaries in the United States and other countries.

Other names, such as those of products of other companies, are the trademarks or registered trademarks of their respective companies.

All specifications subject to change without notice.

Muratec America, Inc. 3301 East Plano Parkway, Suite 100, Plano, Texas 75074 For more information on Muratec products or services, call (469) 429-3300 or visit our web site at **www.muratec.com**