


B&W Multifunction Laser Printer

RICOH SP 377DNwX SP 377SFNwX

✔ Printer ✔ Copier ✔ Facsimile ✔ Scanner

RICOH
imagine. change.



SP 377DNwX

30
ppm monochrome

SP 377SFNwX

30
ppm monochrome

Make the connection between value and versatility

Find the easy answer to some of your most demanding workplace challenges. Add the RICOH® SP 377DNwX printer or RICOH SP 377SFNwX multifunction printer (MFP) to your small office or workgroup. Take advantage of a wide range of space- and budget-saving features to share information with customers and coworkers quickly, consistently and conveniently. Choose from several connectivity options, including wireless LAN and Wi-Fi Direct®, to simplify placement and setup, using your personal mobile device to print or share information. With the extended-use All-in-One Print Cartridge, you can minimize maintenance tasks and the need for technical assistance.

Cut the cord on complicated connections

Choose how you want to connect to the SP 377 Series. You can use standard USB 2.0 and 10Base-T/100Base-TX Ethernet connectivity. Or, you can connect wirelessly via Wireless LAN or Wi-Fi Direct and eliminate the unsightly cables and cords. Plus, wireless connectivity lets you place the device in more convenient locations throughout your office. It's easy to get started. Automatically download the proper print driver for Windows®, Mac or Linux® operating systems. Then take advantage of the SP 377 Series seamless compatibility with PCs, Macs and iOS® and Android® personal mobile devices to make big productivity gains everywhere.



Turn it all into optimal value

During downtime, you might be losing more than productivity. Use the SP 377 Series to keep information moving and business flowing. It includes a hassle-free, All-in-One (AIO) Print Cartridge with a high 6,400 print yield to extend uptime, extend maintenance cycles and minimize costs per page. When you need to replace the AIO cartridge, simply install it yourself in seconds. Reduce costs even more with standard duplex printing. The SP 377 Series offers a low Typical Electricity Consumption (TEC) and Sleep Mode. Plus, it's ENERGY STAR® certified and meets EPEAT® Silver criteria* to help reduce operating costs even more.



*EPEAT rating is applicable only in the USA.

Unload your biggest workloads

You need the right information on a timely basis to meet your deadlines. That's why you use the SP 377 Series to print black-and-white presentations, contracts, proposals and other business documents at up to 30 pages per minute (ppm) with clear images and sharp text at up to 1200 x 1200 dpi. Let your entire work team share in the productivity. Multiple jobs can be processed simultaneously via a 360 MHz controller and 128 MB memory. Do more than basic printing and enhance the quality of your work by adding watermarks, combining pages, creating covers and more. For printing, copying, scanning and faxing, the SP 377SFNwX MFP includes a 4-line LCD control panel with intuitive hard keys and eight Quick Dial keys to help you manage tasks and change settings with ease.



Experience hassle-free productivity

Add capabilities to reduce your expenses

Use the SP 377SFNwX MFP to share information in multiple formats. Full-color scanning and paperless faxing lets you deliver information digitally within seconds and reduce operating costs. Load one- or two-sided originals up to 8.5" x 14" into the 35-sheet Automatic Reversing Document Feeder and scan them quickly and effortlessly. Distribute black-and-white or full-color scans in JPG, TIFF or GIF formats using a wide range of Scan-to capabilities, including Scan-to-Folder, Scan-to-Email and USB. Use ID Card Copy to scan two-sided documents onto one sheet of paper. Receive contracts and other faxes right to your email inbox with paperless faxing. Send out your own faxes just as easily with a 108-entry Address Book, auto re-dialing and PC faxing. Use the letter-sized platen glass to make impressive copies of documents, books, 3D objects, wallet-size ID cards and more in moments.



Go where the work takes you

You can find the next great idea anywhere, even away from your desk. Choose the SP 377 Series so you can do something with it. Use your smartphone, tablet or laptop to download the RICOH Smart Device Print&Scan app and print and share information without utilities or drivers. Support for Mopria™ enables printing from your Android® smartphone or tablet. With the SP 377 Series Near Field Communications (NFC) capability, you can share documents instantly by simply touching your personal device to the NFC tag on the device's control panel.



Give your audiences what it wants

You're different. Your messages are unique. Show your customers by sharing them on different types and sizes of media, from postcards to legal-sized documents. Load the 250-Sheet Front-Loading Paper Tray or 50-sheet Bypass Tray with a wide range of paper, including thicker stocks up to 90 lb. Index, to capture your audience's attention. Produce printed envelopes from the Bypass Tray. You can also create stacks of collated sets and pick them up when you're ready from the space-saving exit tray.



To view detailed features of our multifunction products online go to www.ricoh-usa.com/products

RICOH SP 377DNwX/SP 377SFNwX

SYSTEM SPECIFICATIONS



Engine Specifications

| | |
|---|--|
| SP 377DNwX | Part # 408151 |
| SP 377SFNwX | Part # 408155 |
| Configuration | Desktop |
| Technology | Laser |
| Color/B&W | Black & White |
| Printing Process | Electro-photographic printing |
| Scanning Element | Laser beam |
| Toner Type | Dry mono-component toner development |
| B&W Print Speed (Letter) | 30 ppm |
| Maximum Monthly Volume | Up to 5,800 total prints/month |
| Maximum Monthly Duty Cycle | 35,000 prints |
| First Page Out Time | 8 seconds or less |
| Warm-Up Time | SP 377DNwX: 26 seconds or less SP 377SFNwX: 30 seconds or less |
| Recovery from Sleep Mode | 16 seconds |
| Standard Paper Capacity | 250-Sheet Tray x 1 + 50-Sheet Bypass |
| Maximum Paper Capacity | 300 sheets |
| Standard Output Capacity | SP 377DNwX: 125 sheets (face down) SP 377SFNwX: 50 sheets (face down) |
| Supported Paper Sizes | Standard Tray: 5.5" x 8.5" to 8.5" x 14", A6 – B5 Custom Sizes: 3.94" x 5.82" to 8.5" x 14" (100 x 148 mm to 216 x 356 mm) Bypass Tray: 5.5" x 8.5" to 8.5" x 14", A6 – B5, Envelopes Custom Sizes: 3.5" x 5.5" to 8.5" x 14" (90 x 140 mm to 216 x 356 mm) Duplexing: 8.5" x 11", 8.5" x 14", A4 14 – 43 lb. Bond/90 lb. Index (52 – 162 g/m ²) |
| Supported Paper Weights | Duplexing: 16 – 28 lb. Bond (60 – 105 g/m ²) |
| Supported Paper Types | Standard Tray: Thin, Thick, Plain, Recycled, Color, Preprinted, Pre-punched, Letterhead, Bond, Cardstock, Labels, OHP*, Envelopes* Standard (@ less than 50% productivity) SP 377DNwX: 14.8" x 15.5" x 10.4" (376 x 392 x 262 mm) SP 377SFNwX: 15.9" x 15.5" x 15.9" (405 x 392 x 405 mm) |
| Duplexing Dimensions (WxDxH) | SP 377DNwX: 28.6 lb. (13 kg) (including Starter AIO) SP 377SFNwX: 37.5 lb. (17 kg) (including Starter AIO) 800 W Max. |
| Weight | SP 377DNwX: .087 W SP 377SFNwX: .089 W |
| Power Consumption (Operating) | SP 377DNwX: 1.4 kWh/Week SP 377SFNwX: 1.5 kWh/Week |
| Power Consumption (Sleep Mode) | 120V, 60Hz, 7A |
| Typical Electricity Consumption** (TEC) | Certified |
| Power Requirements | EPEAT Silver Rated |

*From Bypass Tray only.

**Typical Electricity Consumption by ENERGY STAR program.

Copy Specifications – SP 377SFNwX only

| | |
|---------------------------------------|---|
| Copy Resolution | Scanning: 600 x 600 dpi via Platen, 600 x 300 dpi via ARDF Printing: Up to 1200 x 1200 dpi |
| Document Feeder Type | Automatic Reversing Document Feeder (ARDF) 35 sheets |
| Document Feeder Capacity | Automatic Reversing Document Feeder (Standard) 35 sheets |
| Document Feeding | Automatic Reversing Document Feeder (Standard) 35 sheets |
| Original Capacity: | 5.5" x 5.5" to 8.5" x 14" (140 x 140 mm to 216 x 356 mm) |
| Original Size: | 14 - 28 lb. Bond (52 - 105 g/m ²) |
| Original Weight: | 99 copies |
| Maximum Copy Quantity | 50%, 65%, 78%, 93%, 129%, 155% |
| Preset Reduction & Enlargement Ratios | 200%, 400% |
| Zoom Range | 25 – 400% in 1% increments via ARDF or platen |
| ID Card Copy | Supported |

Copier Features – SP 377SFNwX only

Duplex Copy, Combine Copy (2 in 1, 4 in 1), Image Density Adjustment, Image Quality Mode (Text/Photo/Mixed)

Print Specifications

| | |
|---------------------------|--|
| Processor Speed | 360 MHz |
| Memory (Standard/Maximum) | 128 MB RAM |
| Print Resolution | 1200 x 1200, 1200 x 600 dpi, 600 x 600 dpi |
| Printer Languages | PCL6, PCL5e |
| Connection Type | Wi-Fi Direct IEEE 802.11 b/g/n Wireless LAN (Ad Hoc & Infrastructure modes) Near Field Communications (NFC) 10Base-T/100Base-TX Ethernet USB 2.0 Hi Speed Type B PCL: 45 + 13 International Windows Vista, 7, 8, 10, Server 2003/R2, Server 2008/R2, Server 2012/R2 Mac OS v10.8 or later Linux Ubuntu 14.04LTS/14.10, Open SUSE 13.1/13.2, Red Hat Linux Enterprise 6/7 and Mopria™ support |

Font Support

| | |
|-----------------------------|--|
| Network Protocols | TCP/IP (IPv4, IPv6), IPP |
| Supported Operating Systems | Windows Vista, 7, 8, 10, Server 2003/R2, Server 2008/R2, Server 2012/R2 Mac OS v10.8 or later Linux Ubuntu 14.04LTS/14.10, Open SUSE 13.1/13.2, Red Hat Linux Enterprise 6/7 and Mopria™ support |
| Device Management Utilities | Web Image Monitor, @Remote ¹ (limited support, requires optional @Remote Office Appliance) |
| Mobile Printing | RICOH Smart Device Print&Scan app, Mopria ¹ |

¹ Counter information only.

Other Print Features

Collate, Dithering, Duplex, Do Not Print Blank Pages, Cover Sheets, Layout/N-up, Reduce/Enlarge, Rotate Print, Toner Saving, Watermarks

Scan Specifications – SP 377SFNwX only

| | |
|--------------------------------|--|
| Scanner Resolution | Optical: 1200 x 1200 dpi TWAIN/WIA: Platen – 75 to 19200 dpi; ARDF: Up to 600 x 600 dpi Scan to: 100/150/200/300/400/600 dpi |
| Scanning Speed (Letter) w/ARDF | B&W: 13 ipm at 600 x 300 dpi Color: 4.5 ipm at 600 x 300 dpi |
| Platen Size | Up to 8.5" x 11.7" (216 x 297 mm) |
| Maximum Scanning Size | Up to 8.5" x 14" |
| Scan Modes | Text, Text/Photo, Grayscale |
| File Formats | TIFF, JPEG, PDF |
| Scan-To Modes | Scan-to-Email (1 recipient per TX) Scan-to-Folder (1 destination per TX) Scan-to-FTP (1 destination per TX) Scan-to-USB |

Facsimile Specifications – SP 377SFNwX only

| | |
|---------------------------|--|
| Fax Resolution | Standard: 200 x 100 dpi (8 x 3.85 lines/mm) Detail: 200 x 200 dpi (8 x 7.7 lines/mm) |
| Fax Scanning Speed w/ARDF | B&W: FB: 145 mm/s (300 x 300 dpi), 36 mm/s (600 x 600 dpi), ARDF: 64 mm/s (300 x 300 dpi), 12 mm/s (600 x 600 dpi), 13 ipm (600 x 300 dpi) Color: FB: 48 mm/s (300 x 300 dpi), 12 mm/s (600 x 600 dpi), ARDF: 22 mm/s 4.5 ipm (600 x 300 dpi) 33.6 Kbps with Auto fallback to 2,400 bps |
| Modem Speed | MH, MR, MMR |
| Fax Compression Method | 100 pages |
| SAF Memory Size | Approx. 3 seconds/page* |
| Transmission Speed | 8 standard |
| Quick Dials | PC Fax Send/Receive, Auto Answer, Auto Redial, Auto/Manual Reception, Book Fax, Broadcasting (100 stations), Contrast Control, Error Correction Mode, Image Reduction, Immediate/Memory Transmission, Monitor Speaker, On Hook Dial, Page Retransmission, Pulse/Tone Selection, Smoothing, Telephone Answering Machine Interface, Time Indicator |
| Standard Fax Features | |

*ITU No.1 chart, Compression: MMR, Resolution: Standard speed: 33.6 Kbps.

Consumables and Yields

All-In-One Print Cartridge 6,400 pages* Part # 408161 SP 377XA.

*Declared yield values in accordance with ISO/IEC 19752. Actual yields may vary based on images printed and other factors.

Ships with a starter All-In-One print cartridge yielding approximately 6,400 pages. All other consumables ship at full yield.

For maximum performance and yield we recommend using genuine Ricoh parts and supplies.

Specifications subject to change without notice.

Warranty

The RICOH SP 377DNwX B&W Laser Printer and SP 377SFNwX B&W Multifunction Laser Printer are under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. Please refer to warranty documents shipped with the product for more details.

RICOH
imagine. change.

www.ricoh-usa.com

Ricoh USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355, 1-800-63-RICOH

Ricoh® and the Ricoh logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners ©2017. Ricoh USA, Inc. All rights reserved. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.

R3822-C